


DEPARTMENT OF VETERANS AFFAIRS MEDICAL CENTER - WADE PARK
 10701 EAST BLVD. CLEVELAND, OH. 44106
Prosthetics Renovations
 PROJECT NO. 541-05-1071

Veterans Administration Medical Center




CODE INFORMATION:

PROJECT AREA: 3,350 sf
DESIGN CODES:
 2006 Life Safety Code, 2006 IBC
OCCUPANCY/USE GROUP:
 Health Care, I-2
FIRE SUPPRESSION: Fully Sprinklered
TRAVEL DISTANCES: (LSC 18.2.6)
 Room Remote Point to Exit: 200'
 Exit Access door to Exit: 150'
 Suite Remote Point to Exit Access Door (LSC 18.2.5.6.3.4)
 One Intervening Room: 100'
 Suite Remote Point to Exit: 200'
TYPE OF CONSTRUCTION: (LSC A.8.2.1.2)
 Type 1 - 332, 1B
EXTERIOR BEARING WALLS: (LSC A.8.2.1.2)
 3 Hours (Not Applicable)
INTERIOR BEARING WALLS: (LSC A.8.2.1.2)
 3 Hours (Not Applicable)
STRUCTURAL COLUMNS: (LSC A.8.2.1.2)
 3 Hours (Supporting more than 1 floor)
FLOOR - CEILING ASSEMBLIES: (LSC A.8.2.1.2)
 2 Hours
ROOF - CEILING ASSEMBLIES: (LSC A.8.2.1.2)
 1 1/2 Hours (Not Applicable)
INTERIOR NONBEARING WALLS: (LSC A.8.2.1.2)
 0 Hour
EXTERIOR NONBEARING WALLS: (LSC A.8.2.1.2)
 0 Hour (Not Applicable)
EXIT ENCLOSURES: (LSC 7.1.3.2.1)
 Existing: 1 Hour
 New: 2 Hours (Not Applicable)
SHAFT ENCLOSURES: (LSC 8.6.5)
 4 Stories or more: 2 Hours
 Less than 4 stories: 1 Hour
SMOKE BARRIERS: (LSC 18.3.7.4)
 1 Hour
EXIT ACCESS CORRIDORS: (LSC 8.3.6.2.2)
 0 Hour, Smoke Partitions
SUITE WALLS: (18.2.5.6.1.2)
 0 Hour, Smoke Partitions
HAZARDOUS AREA PROTECTION: (LSC 18.3.2.1)
 Labs, non-severe hazard materials: 0 Hour
 Labs, severe hazard materials: 1 Hour
 Soiled linen rooms: 1 Hour
 Storage rooms larger than 100 sf: 1 Hour


DRAWING INDEX

1-X1	COVER SHEET
ARCHITECTURAL	
1-01	SYMBOLS, ABBREVIATIONS, SCHEDULES, AND MISC. DETAILS
1-02	PARTIAL BASEMENT FLOOR LIFE SAFETY PLAN
1-03	PARTIAL BASEMENT FLOOR PHASING PLAN
1-04	PARTIAL BASEMENT FLOOR DEMOLITION PLAN - AREA 1
1-05	PARTIAL BASEMENT FLOOR DEMOLITION PLAN - AREA 2
1-06	PARTIAL BASEMENT FLOOR DEMOLITION PLAN - AREA 1
1-07	PARTIAL BASEMENT FLOOR REFLECTED CEILING PLAN - AREA 1
1-08	PARTIAL BASEMENT FLOOR REFLECTED CEILING PLAN - AREA 2
1-09	INTERIOR ELEVATIONS
1-10	WALL SECTIONS
1-11	MAIN STREET DETAILS
1-12	PARTIAL BASEMENT FLOOR FINISH PLAN - AREA 1
FIRE PROTECTION	
1-FP1	PARTIAL BASEMENT FLOOR FIRE PROTECTION PLAN - AREA 1
1-FP2	PARTIAL BASEMENT FLOOR FIRE PROTECTION PLAN - AREA 2
PLUMBING	
1-P1	PARTIAL BASEMENT FLOOR PLUMBING PLANS
HEATING, VENTILATION, AIR CONDITIONING, AND REFRIGERATION	
1-H1	HVAC SYMBOLS, SCHEDULES, AND GENERAL NOTES
1-H2	MECHANICAL DETAILS
1-H3	PARTIAL BASEMENT FLOOR HVAC DEMOLITION PLAN - AREA 1
1-H4	PARTIAL BASEMENT FLOOR HVAC DEMOLITION PLAN - AREA 2
1-H5	PARTIAL BASEMENT FLOOR HVAC DUCTWORK PLAN - AREA 1
1-H6	PARTIAL BASEMENT FLOOR HVAC DUCTWORK PLAN - AREA 2
1-H7	PARTIAL BASEMENT FLOOR HVAC PIPING PLAN - AREA 1
1-H8	PARTIAL BASEMENT FLOOR HVAC PIPING PLAN - AREA 2
1-H9	PARTIAL BASEMENT FLOOR TEST AND BALANCE AND TEMPERATURE CONTROL PLAN
ELECTRICAL	
1-E1	ELECTRICAL LEGEND AND LIGHTING FIXTURE SCHEDULE
1-E2	PARTIAL BASEMENT FLOOR ELECTRICAL DEMOLITION PLAN - AREA 1
1-E3	PARTIAL BASEMENT FLOOR ELECTRICAL DEMOLITION PLAN - AREA 2
1-E4	PARTIAL BASEMENT FLOOR LIGHTING PLAN - AREA 1
1-E5	PARTIAL BASEMENT FLOOR LIGHTING PLAN - AREA 2
1-E6	PARTIAL BASEMENT FLOOR LIGHTING PLAN - AREA 1
1-E7	PARTIAL BASEMENT FLOOR POWER AND TELECOMMUNICATIONS PLAN - AREA 1
1-E8	PARTIAL BASEMENT FLOOR POWER AND TELECOMMUNICATIONS PLAN - AREA 2
1-E9	POWER DISTRIBUTION ONE LINE DIAGRAM
1-E10	POWER DISTRIBUTION PANELBOARD SCHEDULES
1-E11	ELECTRICAL DETAILS
1-E12	ELECTRICAL DETAILS
ASBESTOS ABATEMENT	
1-AA1	PARTIAL BASEMENT FLOOR ASBESTOS ABATEMENT PLAN
1-AA2	ASBESTOS ABATEMENT STANDARD DETAILS



KEY PLAN - BASEMENT
 Scale = 1/8" = 1'-0"

BID ISSUE
 MAY 16, 2008



VICINITY PLAN
 ARCH. JOB NO.: 05-082



APPROVALS		DATE		APPROVALS		DATE		APPROVALS		DATE	
DIRECTION: 00				CHIEF Planning and Construction				FACILITY MANAGER			
ASSOCIATE DIRECTOR (QA/B)				CHIEF Occupational Health & Safety				SHOP FOREMAN			
CHIEF ENGINEERING: 138				CHIEF: 104				138			
Drawing Title		COVER SHEET		Approved:		Checked:		Drawn:		Date:	
Project Title		PROSTHETICS RENOVATIONS		William C. Ayres		TEH		TKT		03-12-08	
Building Number		1		Approved: Services Director		Location		10701 EAST BLVD. CLEVELAND, OHIO		Project No. 541-05-1071	
Drawing No.		1-X1		Date		Project No.		541-05-1071		Drawing No.	
1-X1		03-12-08		03-12-08		541-05-1071		541-05-1071		1-X1	
Office of Facilities Management		Department of Veterans Affairs		Office of Facilities Management		Department of Veterans Affairs		Office of Facilities Management		Department of Veterans Affairs	

