




SUPERGRIT® Safety Treads

Specify Supergrit For:

- Heavy Pedestrian Traffic Use
- Indoor, Outdoor Installation
- Excellent Safety Protection at Low Cost
- New Construction or Renovation
- Non-combustibility



SUPERGRIT® TYPES 133, 132, 131

Supergrit® Treads Provide...

A heat-treated, corrosion resistant, extruded aluminum base with satin/lacquered finish. The use of diamond-hard aluminum oxide in the filler assures long tread life under heavy pedestrian traffic use. Supergrit® is designed for both inside and outside use.

Supergrit® Features:

- Extruded aluminum base – abrasive filler
- Lengths to order, up to 12'0" (3.66 m) in one piece
- Lengths over maximum to be made in equal sections
- Non-combustible
- High content of aluminum oxide abrasive
- 11 standard colors
- Colors extend throughout filler
- Protective tape available at extra cost




SUPERGRIT® TYPE 131

SAFETY TREADS IN COLORS

Time-proven Supergrit® safety treads are now available in colors for improved aesthetics.

SUPERGRIT®/STAIRMASTER® COLORS

Standard color is black. Black will be shipped unless another color is specified. See color chart below for other colors available.



Actual tread color may vary slightly from printed sheet. Request actual tread color sample if color is critical.

SUPERGRIT® SPECIFICATION:

Provide Supergrit® type _____ safety nosings as manufactured by Wooster Products Inc for interior and exterior stairs.

- Nosing base to be type 6063-T5 extruded aluminum.
- Anti-slip filler shall contain approximately 65% virgin grain Aluminum Oxide (AL₂O₃) abrasive.
- Nosings shall be non-combustible as tested under Federal Test Method Standard No. 501a, Method 6411.
- Type of anchor shall be as specified. See page 11 for anchor details.
- Nosings shall terminate not more than 4" (101.6 mm) from ends of steps for poured concrete stairs; for concrete-filled steel pan stairs, nosings shall be full length of steps less 1/8" (3.05 mm) clearance.
- Color shall extend uniformly throughout the filler; black color will be furnished if no other color is specified.
- Protective tape available upon request, at an extra cost.
- Protective tape should be removed as soon as possible once installed.

Note: Safety nosings going into new poured concrete or cement fill shall be installed before "INITIAL SET" of the concrete or cement occurs (see page 3).

Nosings shall finish flush with the top of the traffic surface.



Specify Supergrit® For:

- Heavy Pedestrian Traffic Use
- Indoor, Outdoor Installation
- Excellent Safety Protection at Low Cost

- New Construction or Renovation
- Non-combustibility

Please call Wooster Products Inc for current availability.

SUPERGRIT® PROFILES FOR NEW CONCRETE STAIRS AND FOR STEEL PAN



THE DUAL PURPOSE STAIR NOSING BY 'WOOSTER'

POURED CONCRETE:

Installed full step length less approximate 3" clearance.


STEEL PAN:

Concrete filled, installed stringer to stringer less 1/8" clearance.




DETAIL
Sure-hold anchor in concrete step.


Designed to install so that there is no projection past the face of the riser.




THESE SECTIONS AVAILABLE WITH COUNTERSUNK HOLES OR TIME-SAVER ANCHORS




TYPE 121
1 7/8" (47.63 mm) wide, 1/4" (6.35 mm) thick
nose 1/4" (6.35 mm) underside



TYPE 131
3" (76.2 mm) wide, 1/4" (6.35 mm) thick
nose 1/4" (6.35 mm) underside




TYPE 141
4" (101.6 mm) wide, 1/4" (6.35 mm) thick
nose 1/4" (6.35 mm) underside



TYPE 161 - 6" (152.4 mm) wide, 1/4" (6.35 mm) thick,
nosing 1/4" (6.35 mm) underside, square back
(Two-tone available at additional cost)





DETAIL
Sure-hold anchor in sloped riser steel pan step.

NOTE: Nose design provides better fit at formed edge of steel pan.





SUPERGRIT® PROFILES FOR STEEL PAN CONCRETE-FILLED STAIRS

Full stringer length, less 1/8" clearance.



SECTIONS NOT TO SCALE




SUPERGRIT® 2-STAGE STAIR NOSING FOR STEEL PAN OR POURED CONCRETE STEPS


Specify SUPERGRIT® Replaceable Stair Nosings For:

- Fast easy replacement if damaged
- Matching or contrasting color decor
- Visual appearance and durability
- Non combustibility
- Secure anchorage
- Heavy pedestrian traffic use
- Indoor or outdoor use
- Premium quality construction with no clutter and an architecturally clean design.
- Nosings can be furnished with disposable wood insert for use during construction phase. After construction nosing inserts are installed for fresh, clean appearance.
- Furnished with SUPERGRIT® Filler in a wide range of colors.
- Future renovation projects made easier and less expensive.
- Maximum length 8 feet.
- Steel pan or poured concrete steps.


SUPERGRIT® STYLE WP-RN2-SG



Nosing insert installed after construction for fresh clean appearance.




Wood insert used during construction.




Secure, non-visible anchorage.

FOR POURED CONCRETE OR STEEL PAN STAIRS




HAS RECESS FOR TILE

TYPE 431
3 1/2" wide (88.9 mm),
1/4" (6.35 mm) thick,
1/4" (6.35 mm) nose underside
Specially designed with recessed back to receive 1/8" (3.05 mm) tile.




FOR USE WITH SLOPED RISERS

TYPE 238
3" (76.2 mm) wide
1/4" (6.35 mm) thick
1 1/8" (28.58 mm) nose underside




TYPE 138
3" (76.2 mm) wide
1/4" (6.35 mm) thick
1 1/8" (28.58 mm) nose underside
Specially designed for steel pan stairs with sloped risers




HAS VARIABLE NOSE DEPTH

TYPE 133 *
3" (76.2 mm) wide
1/4" (6.35 mm) thick
1 3/4" (44.45 mm) nose underside



Nose can be sheared for additional charge
*Note: Available only in standard mill finish.

SUPERGRIT® CURVED & MITERED TREADS FOR MOST RADIUS APPLICATIONS - CONSULT FACTORY



Type 121 and 231BF shown on pages 9 and 10 are designed especially for use on platforms in choir and band rooms. Other sections can also be curved. The tread provides non-slip protection as well as protection for the edge of the stair, preventing chipping and wear. All curving and mitering is done in the factory. Treads are shipped ready for installation.


- Lengths as required to 10'0" (3.048 m)
- Curves and miters to drawings or template
- Minimum radius 3'0" (914.4 mm)
- Guaranteed uniformity of width and thickness insures easy backing with floor tile
- Straight nose for easy installation in concrete form
- Lead times increase for curved treads
- Only the following supergrit treads are curved; types 121, 131, 141, 231BF, 241BF, 630, 610

NAVSEA TREAD

Sizes 4" - 6" - 9" • MIL-T-24634 (SH)
Custom Lengths • Full Treads • Cap Treads


TYPE I FULL TREAD

4" - Model 841
6" - Model 861
9" - Model 891



TYPE II CAP TREAD


4" - Model 842
6" - Model 862
9" - Model 892



FRESH CONCRETE


SURE-HOLD ANCHOR

Sure-Hold anchors run full length of tread for positive anchorage and quick installation. Since Sure-Hold anchors are concealed, no bolt holes appear on the tread surface. Available only on types WP-2C, WP-3C, WP-4C, WP-2J, WP-3J, WP-4J, WP-3SP, 231-BF, 241-BF, 232, 242, 238, 431.




TIME-SAVER ANCHOR

NOT AVAILABLE ON CAST TREADS.
NOT AVAILABLE ON TREADS OVER 4" (101.6 mm) WIDE.
Time-Saver anchors provide concealed anchorage. Anchors are bent to desired depth (usually 45°) before treads are installed. Standard spacing is 3" (76.2 mm) from ends on approx. 12" (304.8 mm) centers, in single, staggered, or double row, according to tread width. Time-Saver anchors are available on types WP-2, WP-2T, WP-3, WP-3T, WP-4T, WP-3JT, 121, 131, 141, 132, 142, 133, 610, 630, 122, WP-2JT, 138.




WING TYPE ANCHOR

Steel wing anchors, bolts, and nuts are furnished for field attachment into factory-drilled and ctsk. holes, prior to tread installation. Standard spacing is 3" (76.2 mm) from ends on approx. 12" (304.8 mm) centers. In single, staggered or double row, according to tread width. Can be furnished on most types if specified. 3/4" length - FHMS. Wing metal, standard mild steel. Stainless steel upon request.




CONCEALED INTEGRAL ANCHOR

This concealed type steel anchor is furnished standard on cast types 150 and 250. Anchor spacing on approx. 10" (254 mm) centers. Can be furnished on types 101, 101-SP, 116, 102, 103, 104, 105A, 100 but MUST BE SPECIFIED.




EXISTING CONSTRUCTION



WOOD OR MACHINE SCREWS



SILVER TAPCON SCREWS




SCREW & SHIELDS

Treads being superimposed on existing stairs can be furnished pre-drilled and ctsk. for wood, machine or Tapcon screws. Standard spacing is 3" (76.2 mm) in from each end, approx. 12" (304.8 mm) centers, in single, staggered, or double row, according to tread width. Will furnish #10 screws.

BOLTED TO STEEL PAN RETURN

Additional anchorage can be provided on some types of treads being used on new steel pan stairs. Pan return must be 1" (25.4 mm) minimum. Standard hole spacing is 3" (76.2 mm) from ends on approx. 12" (304.8 mm) centers. Specify how much of a return is on the pan for drilling purposes. Can be furnished on types WP-2, WP-3, 122, 132, 138, 142, 133, 162, 101-SP, 102, 103, but MUST BE SPECIFIED.




ALSO AVAILABLE: PROTECTIVE TAPE


Nosings for NEW construction can be furnished with a protective tape cover. This tape should be removed after the stairs are installed. Keeps treads free of dirt during construction. Tape coverings, of course, entail a small additional charge per lineal foot. Tape should not be left on treads over 45 days.

MUST BE SPECIFIED; Consult Factory


INSTALLATION DETAILS




TYPE 231 BF Sure-Hold anchor in sloped riser steel pan step.



Type 500 Stairmaster® superimposed on wood step. If steps are other than wood, use screws with expansion shields or Tapcons and an application of adhesive.




Type 101 with wing type anchors in poured concrete stair.




Type 131 with Time-Saver strap anchors in new concrete stair.


TYPICAL INSTALLATION DETAILS FOR WOOSTER SAFETY TREADS




Type WP3C with integral Sure-Hold anchor in new concrete stair.



Type 133 Supergrit® with Time-Saver strap anchors in cement filled steel pan.



Type 101SP with concealed integral anchor in steel pan stair.



Type 142 Supergrit® attached to wood tread and backed with tile, carpet, or other material.

WP STAIRMASTER® Safety Renovation Treads

- Specify Supergrit® Fc*
- Heavy Pedestrian Traffic Use
 - Indoor, Outdoor Installation
 - Excellent Safety Protection at Low Cost
 - Renovation
 - Non-combustibility

SPECIFY

**“STAIRMASTER®”
FOR RENOVATION OF WORN
AND SLIPPERY STAIRS**



Stairmaster® Safety Renovation Treads are designed for the modernization and restoration of all types of stairs, while also providing excellent anti-slip protection for pedestrians.

All types are 9/32" (7.14 mm) thick.

Two-tone treads with contrasting color available. Call for details.


Stairmaster® Renovation Safety Treads provide a fast and economical alternative to removal and reconstruction of a stairway.

Wooster Products Leveling Compound is available to fill/level worn steps before installing Stairmaster® treads.


Use construction adhesive in addition to mechanical fasteners for the best installation results.

- Special tread sealer available for wood or saltwater applications - consult factory.
- Colors Available: See Supergrit chart on page 8.

Five-year warranty on material and workmanship.





STAIRMASTER® INSTALLATION ON WOOD STAIR



STAIRMASTER® INSTALLATION ON CONCRETE STAIR





Most styles available up to 12'0" in one section. Maximum on type 511 SN and 511 is 8'0" and maximum on type 6100 is 10'0".
Drilled and countersunk holes are standard unless otherwise specified. Stairmaster treads furnished with beveled ends standard.



- Inexpensive
- Easily replaceable
- Color coordinated surfaces available
- Title 24 applicable

- A.D.A. approved
- Durable safety surface
- Niteglow™ available
- Indoor/outdoor use



FLEXMASTER® Quality Features

- Longwearing, heat treated, extruded aluminum base.
- Available in many contrasting colors. (Refer to Flex-Tred® on page 16.)
- Tread surface covered with Wooster Products' reliable Flex-Tred® safety surface.
- Easily installed to give quick anti-slip protection.
- Treads are furnished drilled and countersunk unless otherwise specified.
- Specify construction adhesive for installation.
- Maximum length = 12' 0"

FLEXMASTER® Safety Renovation Treads Specification

FLEXMASTER® series renovation safety treads are manufactured by Wooster Products Inc. The tread base is made of Alloy 6063-T5 extruded aluminum, with a 5/32" thickness minimum.


The anti-slip surface is chemically bonded onto the extrusion with an adhesive matrix that is capable of 7.3 lbs. per sq. in. peel strength – PSTC-1. The anti-skid surface is level with all surfaces of the extrusion.

Treads are non-combustible as tested under Federal Test Method Standard No. 501a, Method 6411, Mil-D-STD-1623D, Treads meet Mil-D-17951E, Motor Vehicle Safety Standard No. 302 Treads are U.S.D.A. approved. Treads have a coefficient of Friction per specification Mil-D-17951E that is equal to or greater than 1.24 Dry and 1.02 Wet.

FLEXMASTER® anti-skid surface consists of a uniform "closed coat" of the specified grade of mineral abrasive.

The abrasive is adhered to the substrate with a flexible polymeric binder, in sufficient thickness to achieve both optimum bond and grit exposure.

- The abrasive surface has an underside with a uniform application of high tack permanent type acrylic pressure-sensitive adhesive.
- FLEXMASTER® safety treads are furnished straight and free from defects.
- All exposed aluminum will have a satin finish.
- Color extends uniformly throughout the abrasive surface.
- Unless otherwise specified front and back anti-skid surface are standard flat black medium.
- **3-year-warranty-on-material-and-workmanship.**
- **Available Colors:** Sparkle Black, Flat Black Fine, Flat Black Medium, Ultragrip Black, Superline Black, Pebble White, Industrial Red, Industrial-Brown, Ocean Gray, Safety Yellow, Teak Brown, Scarlet Red, Caribbean Blue, Horizon Blue, Saturn Yellow, and NITEGLOW™.



Leveling Compound


Leveling Compound is furnished in 50-lb drums and consists of specially formulated components to which you just add water, mix and compound is ready for troweling. It will not shrink as it dries and can be featheredged. One drum covers 50 square feet of surface in 1/8" thickness. Compound adheres to any type of stair tread; wood, concrete, steel, marble, etc. No primer required. Directions for mixing are shown on the drum.



NITEGLOW[®] Anti-Slip Glow-in-the-Dark Safety Treads


MEA
APPROVED

Wooster Products' NITEGLOW[®] photoluminescent area is slip resistant, even though not required!



EVACUATION SAFETY INDOORS

Providing evacuation safety in high rise buildings, NITEGLOW[®] photoluminescent stair nosings and treads illuminate for hours.




NIGHTTIME SAFETY OUTDOORS

When the sun goes down, Wooster Products' NITEGLOW[®] stair nosings and treads brightly lead the way to safety.

FEATURES

Our pigment is *embedded* in a hard epoxy mixture, it is *not* just a thin adhesive tape.




- Slip-resistant over entire photoluminescent area
- Labeling for individual pieces showing MEA approval is available
- Recharged by any light source, natural or artificial, indefinitely
- NITEGLOW[®] stair nosings have a brightness rating of;
ANTI-SLIP: 31 mcd/m² at 10 min., 9 mcd/m² at 60 min., 6 mcd/m² at 90 min.
SMOOTH: 50 mcd/m² at 10 min., 13 mcd/m² at 60 min., 9 mcd/m² at 90 min.

Glow in the dark treads are not designed to provide enough light to illuminate a dark egress path, but rather to provide luminescent outlines of the egress stairs.

RENOVATION

MEA Approved




STAIRMASTER[®]
500-NG

Modernize and restore all types of stairs while providing excellent anti-slip protection and superior safety in emergencies and the darkness of night. See page 12 for more information on Stairmaster[®].


NITEGLOW[®]
with the
lights out.

NEW CONSTRUCTION

MEA Approved



WP2C-NG



FT3-NG

M231 BF-NG

XT3-NG

Spectra[®] and Supergrit[®] NITEGLOW[®] glow-in-the-dark stair nosings provide stair markings when the lights go out and help prevent slips and falls. See pages 6-7 for more information on Spectra[®] safety treads.

Our New York City MEA numbers are:

Anti-Slip: MEA 328-05-M, MEA 328-05-M VOLII, MEA 328-05-M VOL3,
Smooth: MEA 212-07-M

These Products have been Tested and Approved for:

Brightness rating: ISO 17398:2004; Washability: ASTM D 4828-1994 (2303);
Toxicity Bombardier: SMP 800-C; Radioactivity: ASTM D 3648-2004;
Flame Spread: ASTM D 635-2003




NITEGLOW® Anti-Slip Glow-in-the-Dark Safety Products

MEA
APPROVED

Guidelines for New Steps & Landings with Photoluminescent (Glow-in-the-Dark) Requirements.



The entire horizontal leading edge of each step and landing shall be marked with a solid and continuous stripe of photoluminescent material. The dimensions, distances and locations shall be uniform throughout.




NITEGLOW® 2-STAGE STAIR NOSING

- Fast easy replacement if damaged
- Visual appearance and durability
- Secure anchorage
- Wood insert for construction phase
- Renovation projects made easier and less expensive
- Steel pan or poured concrete steps

- Indoor or outdoor use
- Non combustibility
- Heavy pedestrian traffic use
- Maximum length 8 feet



MEA Approved, Meets OSHA and ASTM Requirements



*Glow area available in either anti-slip or smooth. For smooth, add "S" after NG in product code when ordering.


Glow-In-The-Dark FLEX-TRED® and FLEXMASTER®

Heavy-duty Flexmaster® NITEGLOW® is an anti-slip safety surface designed to install quickly and provide durable pedestrian safety on slippery surfaces. Use Flex-Tred® on ramps, light traffic stairs, exercise equipment, industrial equipment, aisles, entrances, skateboards and more. Standard Flex-Tred® roll sizes are 60' long and available in widths from 3/4" to 24".


See page 16 for standard die-cut sizes of Flex-Tred® and other information.

Custom sizes for rolls and die cuts are available by request. See page 13 for Flexmaster® features and specifications.

FLEXMASTER® *Not* MEA Approved
NITEGLOW® anti-slip surface.
See page 13 for product details and colors for back surface.



FLEX-TRED®
Not MEA Approved
NITEGLOW® anti-slip surface.
See pages 16-17 for product details.



NEW! NITEGLOW® Epoxy Coating NG-100 and NITEGLOW® Primer 114


MEA 607-06-M

The two part epoxy glow-in-the-dark system is a thick coating that is applied with a putty knife. Our product is single coat, while most competitors require two to three coats. The kit comes with fast drying (30-60 minutes) ultra white reflective acrylic primer that must be used to get proper glow-in-the-dark. Comes in quart can kits which include: fast drying white primer, glow epoxy and hardener, putty knife, mixing arm and spatula. Epoxy Coating NG-100 can be applied to almost any surface.

Features:

- Brightness rating 51 mcd/m² at 10 minutes, 9 mcd/m² at 60 minutes, 6 mcd/m² at 90 minutes
- 100% solids epoxy • Single coat • Durable epoxy system • Easy to clean
- MEA approved • Coating thickness about 25 mils
- Glow-in-the-dark brightness rating that exceeds NY City requirements

To install simply mask off the desired area with tape about 25 mils thick, roll or brush on the ultra white acrylic primer, mix the glow-in-the-dark epoxy and hardener, apply with putty knife, hardens overnight.





FLEX-TRED

Anti-Slip Safety Rolls, Cleats & Strips for Indoor or Outdoor Use

FLEX-TRED®

Flex-Tred® heavy-duty safety surface is quick to install and provides durable pedestrian safety on slippery surfaces. Uses: ramps, light traffic stairs, exercise equipment, industrial equipment, aisles, entrances, skateboards.

Flat black medium is a standard color and will be furnished unless another color is specified.

Blacks Textures: Sparkle Black, Flat Black Fine, Flat Black Medium, Ultragrip Black, Superfine Black, Flat Black Coarse.

Also Available: Phosphorescent: NITEGLOW®

FloorPrep – Consult Factory

General Note: Standard tolerance ± 1/16"


STANDARD ROLL SIZES

¾" x 60 ft. - packed	16 rolls per carton
1" x 60 ft. - packed	12 rolls per carton
2" x 60 ft. - packed	6 rolls per carton
3" x 60 ft. - packed	4 rolls per carton
4" x 60 ft. - packed	3 rolls per carton
6" x 60 ft. - packed	2 rolls per carton
8" x 60 ft. - packed	3 rolls per carton
12" x 60 ft. - packed	1 roll per carton
18" x 60 ft. - packed	1 roll per carton
24" x 60 ft. - packed	1 roll per carton

STANDARD DIE-CUT SIZES

All standard sizes are packed 50 pieces each carton.

STRIPS AND CLEATS STANDARD CUT SIZES:




Custom sizes by request • Standard tolerance ± 1/16"

Marine colors (for barefoot use) also available.

FLEX-TRED COLOR CHART

Color coordinate with Flex-Tred – key to decor – show contrast. Our variety of colors gives you a variety of options. Grades of coarseness, shades of black and fluorescent colors are available upon request. Many colors available*.



Black is available in standard, line, medium and coarse grits. Also Marine or Sparkle Black. Contact Wooster Products for more information.

*Actual color may vary slightly from printed sheet. Request actual color sample if color is critical. Black is standard and will be furnished unless a color is specified.




Shapes

Colors & Textures

Applications

APPLICATIONS

Anywhere You Need an Anti-Slip Surface




Workplace

- around work benches • laundries
- machinery work stations • kitchens
- platforms • scaffolds • cherry pickers
- boiler and furnace areas • etc.

Product

- recreational vehicles (campers, motor homes, trailers)
- exercise equipment
- lawn and garden equipment
- lift trucks • ladders • trucks • construction equipment
- farm tractors and equipment • playground equipment
- skateboards • skis • spas • utility vehicles
- boats • aircraft • baggage handling equipment
- snowmobiles • golf carts
- bumpers • running boards • etc.



Walkways

- stairs • entrances • ramps • docks • pool areas
- porches • decks • balconies • ski-lift access areas
- catwalks • patios • galleys • etc.

GENERAL PROPERTIES

- **Flexure** - Flex-Tred bends over sharp 90° angles without fracture. Repeated bending without cracking or failure of bond.
- **Temperature Limits** - Applied Flex-Tred has a useful temperature range of -40°F to 220°F. However, limited exposure to temperatures above 220°F will not harm Flex-Tred.
- **Steam Cleaning** - Applied Flex-Tred will tolerate steam cleaning.
- **Detergent Cleaning** - Applied Flex-Tred will tolerate detergent cleaning.
- **Environmental Resistance** - Flex-Tred is essentially unaffected by climatic exposure and mild acid or alkali exposure under normal conditions.
- **Shelf Life** - Flex-Tred shelf life is two years minimum.

BENEFITS

- **Anti-slip wet or dry**
- **Reduces liability exposure**
- **Quick & Easy to Install**
- **Economical**
- **Resistant to Solvents**
- **Durable - long wearing**
- **Super Adhesion**
A heavy coating of specially formulated pressure-sensitive adhesive
- **Resistant to Solvents**
- **Die Cuts** available to fit your application.
- **Colors available**

FLEX-TRED IMPROVES COEFFICIENT OF FRICTION OF MOST SURFACES IN WET OR DRY USE

Coefficient of friction tests run per specification MII-D-17951C (ships) using rubber test vehicle. Higher numbers indicate better coefficient of friction.

COMPARISON OF VARIOUS SURFACES: STATIC COEFFICIENT OF FRICTION

	Dry Surface Test Results	Wet Surface Test Results		Dry Surface Test Results	Wet Surface Test Results
FLEX-TRED Surfaces			Other Surfaces		
Flat Black Coarse	1.33	1.21	Ribbed Rubber	.89	.76
Sparkle Black	1.24	1.06	Scotch Tred	.69	.50
Blue Medium	1.29	1.09	Painted Steel	.77	.69
Flat Black Fine	1.37	1.17	Textured Vinyl	.80	.64
Ocean Grey	1.30	1.02	Ribbed Vinyl	.85	.72

Flex-Tred meets or exceeds specifications for: MII-D-17951E (ships); Motor Vehicle Safety Standard No. 302; Walkway Matting, Non-slip MII-W-5044C, Type IV



WOOSTER PRODUCTS

Safety Coatings Systems

Designed for application to many substrates such as concrete, steel, aluminum, wood.

PAINT

ACRYLIC SAFE-STRIDE®

Safe-Stride® is a specially formulated anti-slip safety paint, which contains grit to help provide a tough, sure-footed, and safer traction surface. Applied to cleaned bare materials such as wood, metal, asphalt, marble, concrete, stone, and many other surfaces, Safe-Stride® will provide a durable and long wearing safety surface.



OIL BASE SAFE-STRIDE®


Safe-Stride® is a specially formulated anti-slip safety paint, which contains grit to help provide a tough, sure-footed, and safer traction surface. Applied to cleaned bare materials such as wood, metal, asphalt, marble, concrete, stone, and many other surfaces, Safe-Stride® will provide a durable and long wearing safety surface.



NEWLY DEVELOPED

CLEAR WALK-A-SURED®

Unique two-part clear anti-slip epoxy system which offers excellent slip resistance. Simply mix and use 1/4" nap epoxy roller, included in the kit, to apply. Product can be applied to wood, aluminum, concrete, metal, etc. Excellent abrasion resistance, chemical, solvent and water resistant. Great for any application where a clear anti-slip coating is needed, for example around pools, decks, steps, ramps, kitchens, amusement parks, etc.



	Colors Available	Container Size	Approximate Coverage Sq. Ft.	Estimated Drying Time at 75° F
ACRYLIC	Black, Gray Safety Yellow	1 Gallon	100-125	2-4 hrs.
OIL BASE	Gray	1 Gallon	100-125	12 hrs.
CLEAR	Clear	1 Gallon Kit	125-175	18-24 hrs.
ROLL-ON	Black, Gray	1 Gallon Kit	125-175	18-24 hrs.
TROWEL-ON	Black, Gray	1 Gallon Kit	50-75	18-24 hrs.
WALK-A-SURED	Black, Gray Brown Safety Yellow	1 Gallon Kit	25-35	8 hrs.

EPOXY

NEWLY DEVELOPED

ROLL-ON WALK-A-SURED

Easy to use newly developed two-part anti-slip epoxy system for moderate use. Simply mix and use 1/4" nap epoxy roller, included in the kit, to apply. Recommended for indoor or outdoor use. Product can be applied to wood, aluminum, concrete, metal, etc. Great for any foot traffic applications such as ramps, docks, stairs, amusement parks and around slippery wet areas. Chemical, solvent and water resistant.



NEWLY DEVELOPED

TROWEL-ON WALK-A-SURED

Newly developed two-part anti-slip epoxy system for heavy duty use. A stiff product that must be applied with a trowel and squeegee, which comes in the kit. Product can be applied to wood, metal, concrete or almost any other clean dry surface. Great for industrial and other applications where a heavy anti-slip epoxy coating is needed. Chemical, solvent and water resistant.



EPOXY WP-70


EPOXY WP-70

The ultimate two-part anti-slip epoxy system for heavy traffic areas and industrial use. Excellent abrasion resistance, chemical, solvent and water resistant. A stiff thick product that must be applied using a trowel and squeegee. Good for industrial applications, off-shore drilling platforms, food processing plants, breweries, textile mills, canneries, trucks, trailers, lift gates, etc. Product can be applied to wood, aluminum, concrete, metal, etc.






Method of Application	Pot Life Minutes	Approximate Coefficient of Friction Dry	Approximate Coefficient of Friction Wet	Meets OSHA ADA & USDA Guidelines	Regulated
1/4" Nap Roller	N/A	.97	.79	Yes	No
1/4" Nap Roller	N/A	.87	.83	Yes	Yes
1/4" Nap Epoxy Roller	30-60	.97	.80	Yes	Yes
1/4" Nap Epoxy Roller	30-60	.97	.80	Yes	Yes
Squeegee	30-60	1.1	.82	Yes	Yes
Squeegee	30-60	.92	.76	Yes	Yes

WP Anti-Slip Safety Stair and Walkway Products



SAFETY STAIR TRENDS
MANUFACTURED IN OHIO BY
WOOSTER PRODUCTS INC.
 ESTABLISHED 1921

*Serving You for
Over 87 Years!*



© Copyright 2008 WOOSTER PRODUCTS INC

OUR 87th YEAR

WOOSTER PRODUCTS INC

1000 Spruce Street • P.O. Box 6005 • Wooster, Ohio 44691

Phone: (330) 264-2844 • Fax: (330) 262-4151


Toll Free Phone: 1-800-321-4936

Application Consulting:
refer to website for local support

Web Site: <http://www.wooster-products.com>

E-Mail: Sales@wooster-products.com

See Sweets Catalog, Blue Book and Thomas Register



119680

Printed in U.S.A.

Wooster Products Inc reserves the right, without notice, to make changes in specifications, construction or design of any products at any time in such manner as we may consider necessary, or advisable, and to discontinue the manufacture and sale of any products.

IMPORTANT NOTICE TO PURCHASER: THE FOLLOWING IS MADE IN LIEU OF ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE: Purchase or use of this product constitutes an agreement with Seller and Manufacturer that, if the product proves to be defective or in any way unsuitable, Seller's and Manufacturer's limit of liability for all damages, including but not limited to incidental or consequential damages, and User's or Purchaser's exclusive remedy, regardless of legal theory, including theories of breach of warranty, negligence and strict liability, shall be to receive, at Seller's or Manufacturer's option, repair of the defective product, an equivalent quantity of replacement product or a refund of the purchase price.

General Decision Number: CA080009 04/04/2008 CA9

Superseded General Decision Number: CA20070009

State: California

Construction Types: Building, Heavy (Heavy and Dredging) and
Highway

Counties: Alpine, Amador, Butte, Colusa, El Dorado, Glenn,
Lassen, Marin, Modoc, Napa, Nevada, Placer, Plumas, Sacramento,
Shasta, Sierra, Siskiyou, Solano, Sonoma, Sutter, Tehama,
Trinity, Yolo and Yuba Counties in California.

BUILDING CONSTRUCTION PROJECTS (excluding Amador County only);
DREDGING CONSTRUCTION PROJECTS (does not include hopper dredge
work); HEAVY CONSTRUCTION PROJECTS (does not include water well
drilling); AND HIGHWAY CONSTRUCTION PROJECTS

Modification Number	Publication Date
0	02/08/2008
1	02/15/2008
2	02/22/2008
3	02/29/2008
4	03/07/2008
5	03/21/2008
6	03/28/2008
7	04/04/2008

ASBE0016-001 01/01/2008

AREA 1: ALAMEDA, CONTRA COSTA, LAKE, MARIN, MENDOCINO,
MONTEREY, NAPA, SAN BENITO, SAN FRANCISCO, SAN MATEO, SANTA
CLARA, SANTA CRUZ, SOLANO, & SONOMA COUNTIES

AREA 2: ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, DEL NORTE,
EL DORADO, FRESNO, GLENN, HUMBOLDT, KINGS, LASSEN, MADERA,
MARIPOSA, MERCED, MODOC, MONO, NEVADA, PLACER, PLUMAS,
SACRAMENTO, SAN JOAQUIN, SHASTA, SIERRA, SISKIYOU, STANISLAU,
SUTTER, TEHEMA, TRINITY, TULARE, TUOLUMNE, YOLO, & YUBA
COUNTIES

Rates Fringes

Asbestos Workers/Insulator
(Includes the application of
all insulating materials,
Protective Coverings,
Coatings, and Finishes to all
types of mechanical systems)

Area 1.....\$ 44.63 14.75
Area 2.....\$ 37.48 14.75

ASBE0016-007 05/01/2006

AREA 1: MARIN & NAPA COUNTIES

AREA 2: REMAINING COUNTIES

Rates Fringes

Asbestos Removal
worker/hazardous material
handler (Includes
preparation, wetting,
stripping, removal,
scrapping, vacuuming, bagging
and disposing of all
insulation materials from
mechanical systems, whether
they contain asbestos or not)

Area 1.....\$ 26.75 5.42
Area 2.....\$ 25.36 5.42

BOIL0549-002 10/01/2006

Rates Fringes

BOILERMAKER

(1) Marin, Sacramento,

Solano & Sonoma.....\$ 33.34 20.11

(2) Remaining Counties.....\$ 33.34 20.11

BRCA0003-001 08/01/2007

Rates Fringes

MARBLE FINISHER.....\$ 27.22 11.67

BRCA0003-004 07/01/2007

AREA 1: ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN,
LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA,
SIERRA, SUTTER, TEHAMA, YOLO AND YUBA COUNTIES

AREA 2: MARIN, NAPA, SISKIYOU, SOLANO, SONOMA AND TRINITY
COUNTIES

Rates Fringes

BRICKLAYER

AREA 1.....	\$ 31.58	14.12
AREA 2.....	\$ 36.58	16.87

SPECIALTY PAY:

- (A) Underground work such as tunnel work, sewer work, manholes, catch basins, sewer pipes and telephone conduit shall be paid \$1.25 per hour above the regular rate. Work in direct contact with raw sewage shall receive \$1.25 per hour in addition to the above.
- (B) Operating a saw or grinder shall receive \$1.25 per hour above the regular rate.
- (C) Guniting nozzle person shall receive \$1.25 per hour above the regular rate.

BRCA0003-008 07/01/2007

Rates Fringes

TERRAZZO FINISHER.....	\$ 27.71	9.91
TERRAZZO WORKER/SETTER.....	\$ 36.78	17.22

BRCA0003-010 04/01/2007

Rates Fringes

TILE FINISHER

Area 1.....	\$ 19.99	7.51
Area 2.....	\$ 20.07	9.91
Area 3.....	\$ 20.25	9.78
Area 4.....	\$ 19.74	9.26
Tile Layer		
Area 1.....	\$ 33.91	9.26

Area 2.....	\$ 32.27	10.96
Area 3.....	\$ 36.47	11.01
Area 4.....	\$ 33.31	10.96

AREA 1: Butte, Colusa, El Dorado, Glenn, Lassen, Modoc,
Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Sutter,
Tehema, Yolo, Yuba
AREA 2: Alpine, Amador
AREA 3: Marin, Napa, Solano, Siskiyou
AREA 4: Sonoma

BRCA0003-014 08/01/2007

	Rates	Fringes
MARBLE MASON.....	\$ 37.82	18.13

CARP0034-001 07/01/2007

	Rates	Fringes
Diver		
Assistant Tender, ROV		
Tender/Technician.....	\$ 32.15	21.915
Diver standby.....	\$ 36.37	21.915
Diver Tender.....	\$ 35.37	21.915
Diver wet.....	\$ 72.74	21.915
Manifold Operator (mixed		
gas).....	\$ 40.37	21.915
Manifold Operator (Standby).	\$ 35.37	21.915

DEPTH PAY (Surface Diving):

050 to 100 ft	\$2.00 per foot
101 to 150 ft	\$3.00 per foot
151 to 220 ft	\$4.00 per foot

SATURATION DIVING:

The standby rate shall apply until saturation starts. The saturation diving rate applies when divers are under pressure continuously until work task and decompression are complete. The diver rate shall be paid for all saturation hours.

DIVING IN ENCLOSURES:

Where it is necessary for Divers to enter pipes or tunnels, or other enclosures where there is no vertical ascent, the

following premium shall be paid: Distance traveled from entrance 26 feet to 300 feet: \$1.00 per foot. When it is necessary for a diver to enter any pipe, tunnel or other enclosure less than 48" in height, the premium will be \$1.00 per foot.

WORK IN COMBINATION OF CLASSIFICATIONS:
 Employees working in any combination of classifications within the diving crew (except dive supervisor) in a shift are paid in the classification with the highest rate for that shift.

 CARP0034-003 07/01/2007

	Rates	Fringes
Piledriver.....	\$ 32.15	21.915

CARP0035-001 08/01/2007

AREA 1: MARIN, NAPA, SOLANO & SONOMA

AREA 2: ALPINE, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO & YUBA

	Rates	Fringes
Drywall Installers/Lathers:		
Area 1.....	\$ 33.25	18.80
Area 2.....	\$ 26.52	18.80
Drywall Stocker/Scrapper		
Area 1.....	\$ 16.63	12.09
Area 2.....	\$ 13.26	12.09

PROJECTS \$50,000,000 AND OVER (AREA 2 ONLY):
 \$3.50 additional per hour for Drywall Installers and Lathers.
 \$1.75 additional per hour for Drywall Stockers and Scappers.

 CARP0035-004 07/01/2007

AREA 1: Marin, Napa, Solano, Sonoma Counties

AREA 4: Alpine, Amador, Butte, Colusa, El Dorado, Glenn, Lassen, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta,

Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba counties

	Rates	Fringes
Carpenters:		
AREA 1:		
(1) Carpenter.....	\$ 33.25	18.36
(2) Hardwood Floor Layer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 33.40	18.36
(3) Bridge Builder.....	\$ 33.25	18.36
(4) Millwright.....	\$ 33.35	19.95
AREA 4:		
(1) Carpenter.....	\$ 26.02	18.36
(2) Hardwood Floor Layer, Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer.....	\$ 26.17	18.36
(3) Bridge Builder.....	\$ 33.25	18.36
(4) Millwright.....	\$ 28.52	19.95

 CARP0035-010 07/01/2007

AREA 1: Marin, Napa, Solano & Sonoma Counties

AREA 2: Alpine, Butte, Colusa, El Dorado, Glenn, Lassen, Modoc,
 Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou,
 Sutter, Tehama, Trinity, Yolo & Yuba Counties

	Rates	Fringes
Modular Furniture Installer		
Area 1		
Installer I.....	\$ 20.18	12.325
Installer II.....	\$ 16.75	12.325
Lead Installer.....	\$ 23.63	12.825
Master Installer.....	\$ 27.85	12.825
Area 2		
Installer I.....	\$ 16.58	12.325
Installer II.....	\$ 13.81	12.325
Lead Installer.....	\$ 19.38	12.825

Master Installer..... \$ 22.80 12.825

ELEC0006-002 12/01/2006

MARIN, NAPA, SOLANO & SONOMA COUNTIES

	Rates	Fringes
Communications System Sound & Communication Installer.....	\$ 26.72	3%+10.65
Sound & Communication Technician.....	\$ 30.42	3%+10.65

SCOPE OF WORK INCLUDES-

SOUND & VOICE TRANSMISSION (Music, Intercom, Nurse Call, Telephone); FIRE ALARM SYSTEMS [excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs],

TELEVISION & VIDEO SYSTEMS, SECURITY SYSTEMS, COMMUNICATIONS SYSTEMS that transmit or receive information and/or control systems that are intrinsic to the above.

EXCLUDES-

Excludes all other data systems or multiple systems which include control function or power supply; excludes installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excludes energy management systems.

ELEC0180-001 06/01/2007

NAPA AND SOLANO COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 44.16	3%+15.44
ELECTRICIAN.....	\$ 39.25	3%+15.44

ELEC0340-002 01/01/2008

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN,

NEVADA, PLACER, PLUMAS, SACRAMENTO, TRINITY, YOLO, YUBA
COUNTIES

	Rates	Fringes
Communications System Sound & Communications		
Installer.....	\$ 22.98	3%+9.05
Sound & Communications		
Technician.....	\$ 26.43	3%+9.05

SCOPE OF WORK

Includes the installation testing, service and maintenance, of the following systems which utilize the transmission and/or transference of voice, sound, vision and digital for commercial, education, security and entertainment purposes for the following TV monitoring and surveillance, background-foreground music, intercom and telephone interconnect, inventory control systems, microwave transmission, multi-media, multiplex, nurse call system, radio page, school intercom and sound, burglar alarms, and low voltage master clock systems.

A. SOUND AND VOICE TRANSMISSION/TRANSFERENCE SYSTEMS

Background foreground music Intercom and telephone interconnect systems, Telephone systems, Nurse call systems, Radio page systems, School intercom and sound systems, Burglar alarm systems, Low voltage master clock systems, Multi-media/multiplex systems, Sound and musical entertainment systems, RF systems, Antennas and Wave Guide.

B. FIRE ALARM SYSTEMS

Installation, wire pulling and testing

C. TELEVISION AND VIDEO SYSTEMS

Television monitoring and surveillance systems, Video security systems, Video entertainment systems, Video educational systems, Microwave transmission systems, CATV and CCTV

D. SECURITY SYSTEMS

Perimeter security systems
Vibration sensor systems Card access systems Access control systems Sonar/infrared monitoring equipment

E. COMMUNICATIONS SYSTEMS THAT TRANSMIT OR RECEIVE

INFORMATION AND/OR CONTROL SYSTEMS THAT ARE INTRINSIC TO THE ABOVE LISTED SYSTEMS SCADA (Supervisory Control and Data Acquisition) PCM (Pulse Code Modulation) Inventory Control Systems Digital Data Systems Broadband and Baseband and Carriers Point of Sale Systems VSAT Data Systems Data Communication Systems RF and Remote Control Systems Fiber Optic Data Systems

WORK EXCLUDED Raceway systems are not covered (excluding Ladder-Rack for the purpose of the above listed systems). Chases and/or nipples (not to exceed 10 feet) may be installed on open wiring systems. Energy management systems. SCADA (Supervisory Control and Data Acquisition) when not intrinsic to the above listed systems (in the scope). Fire alarm systems when installed in raceways (including wire and cable pulling) shall be performed at the electrician wage rate, when either of the following two (2) conditions apply:

1. The project involves new or major remodel building trades construction.
2. The conductors for the fire alarm system are installed in conduit.

 ELEC0340-003 12/01/2007

ALPINE (West of Sierra Mt. Watershed), AMADOR, BUTTE, COLUSA, EL DORADO (West of Sierra Mt. Watershed), GLENN, LASSEN, NEVADA (West of Sierra Mt. Watershed), PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA (West of Sierra Mt. Watershed), SUTTER, TEHAMA, TRINITY, YOLO & YUBA COUNTIES

	Rates	Fringes
ELECTRICIAN		
Remaining area.....	\$ 36.18	3%+10.85
Sierra Army Depot, Herlong..	\$ 45.23	3%+10.85
Tunnel work.....	\$ 37.99	3%+10.85

CABLE SPLICER: Receives 110% of the Electrician basic hourly rate.

 ELEC0401-005 04/01/2004

ALPINE (east of the main watershed divide), EL DORADO (east of the main watershed divide), NEVADA (east of the main watershed), PLACER (east of the main watershed divide) and

SIERRA (east of the main watershed divide) COUNTIES:

	Rates	Fringes
ELECTRICIAN.....	\$ 27.00	9.83

 ELEC0551-004 06/01/2007

MARIN AND SONOMA COUNTIES

	Rates	Fringes
ELECTRICIAN.....	\$ 40.48	3%+12.53

 ELEC0659-006 01/01/2006

MODOC and SISKIYOU COUNTIES

	Rates	Fringes
ELECTRICIAN.....	\$ 27.95	11.84

 ELEC0659-008 02/01/2006

MODOC & SISKIYOU COUNTIES

	Rates	Fringes
Line Construction		
(1) Cable Splicer.....	\$ 38.71	11.00
(2) Lineman, Pole Sprayer, Heavy Line Equipment Man....	\$ 34.56	10.84
(3) Tree Trimmer.....	\$ 20.57	8.74
(4) Line Equipment Man.....	\$ 29.72	8.90
(5) Powdermen, Jackhammermen.....	\$ 25.92	8.76
(6) Groundman.....	\$ 24.19	8.69

 ELEC1245-004 06/01/2007

ALL COUNTIES EXCEPT MODOC & SISKIYOU

	Rates	Fringes
--	-------	---------

LINE CONSTRUCTION

(1) Lineman; Cable splicer..	\$ 41.02	12.22
(2) Equipment specialist (operates crawler tractors, commercial motor vehicles, backhoes, trenchers, cranes (50 tons and below), and overhead and underground distribution line equipment).....	\$ 33.24	11.17
(3) Groundman.....	\$ 25.42	10.89
(4) Powderman.....	\$ 37.16	11.34

HOLIDAYS: New Year's Day, M.L. King Day, Memorial Day,
Independence Day, Labor Day, Veterans Day, Thanksgiving Day
and day after Thanksgiving, Christmas Day

ELEV0008-001 01/01/2008

	Rates	Fringes
ELEVATOR MECHANIC.....	\$ 52.66	16.285

FOOTNOTE:

PAID VACATION: Employer contributes 8% of regular hourly
rate as vacation pay credit for employees with more than 5
years of service, and 6% for 6 months to 5 years of service.

PAID HOLIDAYS: New Years Day, Memorial Day, Independence Day,
Labor Day, Veterans Day, Thanksgiving Day, Friday after
Thanksgiving, and Christmas Day.

ENGI0003-008 07/01/2007

	Rates	Fringes
Dredging: (DREDGING: CLAMSHELL & DIPPER DREDGING; HYDRAULIC SUCTION DREDGING:)		
AREA 1:		
(1) Leverman.....	\$ 36.24	20.53
(2) Dredge Dozer; Heavy duty repairman.....	\$ 31.28	20.53
(3) Booster Pump Operator; Deck Engineer; Deck mate; Dredge Tender; Winch		

Operator.....	\$ 30.16	20.53
(4) Bargeman; Deckhand;		
Fireman; Leveehand; Oiler..	\$ 26.86	20.53
AREA 2:		
(1) Leverman.....	\$ 38.24	20.53
(2) Dredge Dozer; Heavy		
duty repairman.....	\$ 33.28	20.53
(3) Booster Pump		
Operator; Deck		
Engineer; Deck mate;		
Dredge Tender; Winch		
Operator.....	\$ 32.16	20.53
(4) Bargeman; Deckhand;		
Fireman; Leveehand; Oiler..	\$ 28.86	20.53

AREA DESCRIPTIONS

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED,
 NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN,
 SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS,
 SUTTER, YOLO, AND YUBA COUNTIES

AREA 2: MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2
 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part
 Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Remainder
 Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part
 Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part
 Area 2: Remainder

FRESNO COUNTY:

Area 1: Remainder
 Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part

Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border
with Shasta County

Area 2: Remainder

MADERA COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

MONTERREY COUNTY

Area 1: Except Southwestern part

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of
Sierra County

Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part

Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part

Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Remainder

TEHAMA COUNTY:

Area 1: All but the Western border with Mendocino & Trinity
Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeastern border with
Shasta County

Area 2: Remainder

TUOLUMNE COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

ENGI0003-018 06/25/2007

"AREA 1" WAGE RATES ARE LISTED BELOW

"AREA 2" RECEIVES AN ADDITIONAL \$2.00 PER HOUR ABOVE AREA 1
RATES.

SEE AREA DEFINITIONS BELOW

Rates Fringes

POWER EQUIPMENT OPERATOR

(AREA 1:)

GROUP 1.....	\$ 36.09	19.62
GROUP 2.....	\$ 34.56	19.62
GROUP 3.....	\$ 33.08	19.62
GROUP 4.....	\$ 31.70	19.62
GROUP 5.....	\$ 30.43	19.62
GROUP 6.....	\$ 29.11	19.62
GROUP 7.....	\$ 27.97	19.62
GROUP 8.....	\$ 26.83	19.62
GROUP 8-A.....	\$ 24.62	19.62

POWER EQUIPMENT OPERATOR

(Cranes and Attachments -

AREA 1:)

GROUP 1

Cranes.....	\$ 36.97	19.62
Oiler.....	\$ 27.71	19.62
Truck crane oiler.....	\$ 30.00	19.62

GROUP 2

Cranes.....	\$ 35.21	19.62
Oiler.....	\$ 27.50	19.62
Truck crane oiler.....	\$ 29.74	19.62

GROUP 3

Cranes.....	\$ 33.47	19.62
Hydraulic.....	\$ 29.11	19.62
Oiler.....	\$ 27.22	19.62
Truck Crane Oiler.....	\$ 29.50	19.62

POWER EQUIPMENT OPERATOR

(Piledriving - AREA 1:)

GROUP 1

Lifting devices.....	\$ 37.31	19.62
Oiler.....	\$ 28.05	19.62
Truck crane oiler.....	\$ 30.33	19.62

GROUP 2

Lifting devices.....	\$ 35.49	19.62
Oiler.....	\$ 27.78	19.62
Truck Crane Oiler.....	\$ 30.08	19.62

GROUP 3

Lifting devices.....	\$ 33.81	19.62
Oiler.....	\$ 27.56	19.62
Truck Crane Oiler.....	\$ 29.79	19.62
GROUP 4.....	\$ 32.04	19.62
GROUP 5.....	\$ 29.40	19.62
GROUP 6.....	\$ 27.17	19.62

POWER EQUIPMENT OPERATOR

(Steel Erection - AREA 1:)

GROUP 1

Cranes.....	\$ 37.94	19.62
Oiler.....	\$ 28.39	19.62
Truck Crane Oiler.....	\$ 30.62	19.62

GROUP 2

Cranes.....	\$ 36.17	19.62
Oiler.....	\$ 28.12	19.62
Truck Crane Oiler.....	\$ 30.40	19.62

GROUP 3

Cranes.....	\$ 34.69	19.62
Hydraulic.....	\$ 29.74	19.62
Oiler.....	\$ 27.90	19.62
Truck Crane Oiler.....	\$ 30.13	19.62
GROUP 4.....	\$ 32.67	19.62
GROUP 5.....	\$ 31.37	19.62

POWER EQUIPMENT OPERATOR
(Tunnel and Underground Work
- AREA 1:)

SHAFTS, STOPES, RAISES:

GROUP 1.....	\$ 32.19	19.62
GROUP 1-A.....	\$ 34.66	19.62
GROUP 2.....	\$ 30.93	19.62
GROUP 3.....	\$ 29.60	19.62
GROUP 4.....	\$ 28.46	19.62
GROUP 5.....	\$ 27.32	19.62

UNDERGROUND:

GROUP 1.....	\$ 32.09	19.62
GROUP 1-A.....	\$ 34.56	19.62
GROUP 2.....	\$ 30.83	19.62
GROUP 3.....	\$ 29.50	19.62
GROUP 4.....	\$ 28.36	19.62
GROUP 5.....	\$ 27.22	19.62

FOOTNOTE: Work suspended by ropes or cables, or work on a
Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1: Operator of helicopter (when used in erection work);
Hydraulic excavator, 7 cu. yds. and over; Power shovels,
over 7 cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu.
yds. up to 7 cu. yds.; Licensed construction work boat
operator, on site; Power blade operator (finish); Power
shovels, over 1 cu. yd. up to and including 7 cu. yds.
m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination
backhoe and loader over 3/4 cu. yds.; Continuous flight tie
back machine assistant to engineer or mechanic; Crane
mounted continuous flight tie back machine, tonnage to
apply; Crane mounted drill attachment, tonnage to apply;
Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2
cu. yds.; Loader 4 cu. yds. and over; Long reach excavator;
Multiple engine scraper (when used as push pull); Power
shovels, up to and including 1 cu. yd.; Pre-stress wire
wrapping machine; Side boom cat, 572 or larger; Track
loader 4 cu. yds. and over; Wheel excavator (up to and
including 750 cu. yds. per hour)

GROUP 4: Asphalt plant engineer/box person; Chicago boom; Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pull- type elevating loader; Gradesetter, grade checker (GPS, mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber- tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Spider plow and spider puller; Tubex pile rig; Unlicensed constuction work boat operator, on site; Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper; Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt); Mine or shaft hoist; Portable crusher; Power jumbo operator (setting slip-forms, etc., in tunnels); Screed (automatic or manual); Self-propelled compactor with dozer; Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper; Boom- type backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, airports and

canals); Deck engineer; Drilling equipment Texoma 600, Hughes 200 Series or similar up to and including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcat larger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); Screed (except asphaltic concrete paving); Self-propelled pipeline wrapping machine; Soils & materials tester; Tractor; Self-loading chipper; Concrete barrier moving machine

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker with or without compressor combination); Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip Seal; Self-propelled automatically applied concrete curing machine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Truck-type loader

GROUP 8: Bit sharpener; Boiler tender; Box operator; Brakeperson; Combination mixer and compressor (shotcrete/gunite); Compressor operator; Deckhand; Fire tender; Forklift (under 20 ft.); Generator; Gunite/shotcrete equipment operator; Hydraulic monitor; Ken seal machine (or similar); Mixermobile; Oiler; Pump operator; Refrigeration plant; Reservoir-debris tug (self-propelled floating); Ross Carrier (construction site); Rotomist operator; Self-propelled tape machine; Shuttlecar; Self-propelled power sweeper operator (includes vacuum sweeper); Slusher operator; Surface heater; Switchperson;

Tar pot firetender; Tugger hoist, single drum; Vacuum cooling plant; Welding machine (powered other than by electricity)

GROUP 8-A: Elevator operator; Skidsteer loader-Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe-trencher); Tub grinder-wood chipper

ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted, over 100 tons; Self-propelled boom-type lifting device, over 100 tons

GROUP 2: Clamshell and dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boom-type lifting device, over 45 tons; Tower crane

GROUP 3: Clamshell and dragline up to and including 1 cu. yd.; Cranes 45 tons and under; Self-propelled boom-type lifting device 45 tons and under; Boom Truck or dual purpose A-frame truck, non-rotating over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) over 15 tons;

PILEDRIVERS

GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons

GROUP 2: Derrick barge pedestal mounted 45 tons to and including 100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons; Fundex F-12 hydraulic pile rig

GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge mounted 45 tons and under

GROUP 4: Assistant operator in lieu of assistant to engineer; Forklift, 10 tons and over; Heavy-duty repairperson/welder

GROUP 5: Deck engineer

GROUP 6: Deckhand; Fire tender

STEEL ERECTORS

GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons

GROUP 2: Crane over 45 tons to 100 tons; Derrick under 100 tons; Self-propelled boom-type lifting device over 45 tons to 100 tons; Tower crane

GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under

GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

TUNNEL AND UNDERGROUND WORK

GROUP 1-A: Tunnel bore machine operator, 20' diameter or more

GROUP 1: Heading shield operator; Heavy-duty repairperson; Mucking machine (rubber tired, rail or track type); Raised bore operator (tunnels); Tunnel mole bore operator

GROUP 2: Combination slusher and motor operator; Concrete pump or pumpcrete gun; Power jumbo operator

GROUP 3: Drill doctor; Mine or shaft hoist

GROUP 4: Combination slurry mixer cleaner; Grouting Machine operator; Motorman

GROUP 5: Bit Sharpener; Brakeman; Combination mixer and compressor (gunitite); Compressor operator; Oiler; Pump operator; Slusher operator

AREA DESCRIPTIONS:

POWER EQUIPMENT OPERATORS, CRANES AND ATTACHMENTS, TUNNEL AND

UNDERGROUND [These areas do not apply to Piledrivers and Steel Erectors]

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part

Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner

Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part

Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part

Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border
with Shasta County

Area 2: Remainder

MADERA COUNTY

Area 1: Remainder

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Remainder

Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts

Area 2: Remainder

MONTEREY COUNTY

Area 1: Remainder

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of
Sierra County

Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:
Area 1: Western portion
Area 2: Remainder

SHASTA COUNTY:
Area 1: All but the Northeastern corner
Area 2: Remainder

SIERRA COUNTY:
Area 1: Western part
Area 2: Remainder

SISKIYOU COUNTY:
Area 1: Central part
Area 2: Remainder

SONOMA COUNTY:
Area 1: All but the Northwestern corner
Area 2: Reaminder

TEHAMA COUNTY:
Area 1: All but the Western border with mendocino & Trinity
Counties
Area 2: Remainder

TRINITY COUNTY:
Area 1: East Central part and the Northeaster border with
Shasta County
Area 2: Remainder

TULARE COUNTY;
Area 1: Remainder
Area 2: Eastern part

TUOLUMNE COUNTY:
Area 1: Remainder
Area 2: Eastern Part

ENGI0003-019 06/25/2007

SEE AREA DESCRIPTIONS BELOW

Rates Fringes

POWER EQUIPMENT OPERATOR

(LANDSCAPE WORK ONLY)

GROUP 1

AREA 1.....	\$ 27.81	18.91
AREA 2.....	\$ 29.81	18.91

GROUP 2

AREA 1.....	\$ 24.21	18.91
AREA 2.....	\$ 26.21	18.91

GROUP 3

AREA 1.....	\$ 19.60	18.91
AREA 2.....	\$ 21.60	18.91

GROUP DESCRIPTIONS:

GROUP 1: Landscape Finish Grade Operator: All finish grade work regardless of equipment used, and all equipment with a rating more than 65 HP.

GROUP 2: Landscape Operator up to 65 HP: All equipment with a manufacturer's rating of 65 HP or less except equipment covered by Group 1 or Group 3. The following equipment shall be included except when used for finish work as long as manufacturer's rating is 65 HP or less: A-Frame and Winch Truck, Backhoe, Forklift, Hydragraphic Seeder Machine, Roller, Rubber-Tired and Track Earthmoving Equipment, Skiploader, Straw Blowers, and Trencher 31 HP up to 65 HP.

GROUP 3: Landscap Utility Operator: Small Rubber-Tired Tractor, Trencher Under 31 HP.

AREA DESCRIPTIONS:

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part
Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part

Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner

Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part

Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part

Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border
with Shasta County

Area 2: Remainder

MADERA COUNTY

Area 1: Remainder

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Remainder

Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts
Area 2: Remainder

MONTEREY COUNTY
Area 1: Remainder
Area 2: Southwestern part

NEVADA COUNTY:
Area 1: All but the Northern portion along the border of
Sierra County
Area 2: Remainder

PLACER COUNTY:
Area 1: All but the Central portion
Area 2: Remainder

PLUMAS COUNTY:
Area 1: Western portion
Area 2: Remainder

SHASTA COUNTY:
Area 1: All but the Northeastern corner
Area 2: Remainder

SIERRA COUNTY:
Area 1: Western part
Area 2: Remainder

SISKIYOU COUNTY:
Area 1: Central part
Area 2: Remainder

SONOMA COUNTY:
Area 1: All but the Northwestern corner
Area 2: Remainder

TEHAMA COUNTY:
Area 1: All but the Western border with Mendocino & Trinity
Counties
Area 2: Remainder

TRINITY COUNTY:
Area 1: East Central part and the Northeast border with
Shasta County
Area 2: Remainder

TULARE COUNTY;
Area 1: Remainder
Area 2: Eastern part

TUOLUMNE COUNTY:
Area 1: Remainder
Area 2: Eastern Part

IRON0002-004 07/01/2007

	Rates	Fringes
Ironworkers:		
Fence Erector.....	\$ 29.62	20.915
Ornamental, Reinforcing and Structural.....	\$ 30.51	20.915

PREMIUM PAY:

\$3.00 additional per hour at the following locations:

China Lake Naval Test Station, Chocolate Mountains Naval Reserve-Niland, Edwards AFB, Fort Irwin Military Station, Fort Irwin Training Center-Goldstone, San Clemente Island, San Nicholas Island, Susanville Federal Prison, 29 Palms - Marine Corps, U.S. Marine Base - Barstow, U.S. Naval Air Facility - Sealey, Vandenberg AFB

\$2.00 additional per hour at the following locations:

Army Defense Language Institute - Monterey, Fallon Air Base, Naval Post Graduate School - Monterey, Yermo Marine Corps Logistics Center

\$1.00 additional per hour at the following locations:

Port Hueneme, Port Mugu, U.S. Coast Guard Station - Two Rock

LABO0067-002 06/25/2007

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, DEL NORTE, EL DORADO, FRESNO, GLENN, HUMBOLDT, KINGS, LAKE, LASSEN,

MADERA, MARIPOSA, MENDOCINO, MERCED, MODOC, MONTEREY, NAPA,
 NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN BENITO, SAN JOAQUIN,
 SANTA CRUZ, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA,
 STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE, TUOLUMNE, YOLO AND
 YUBA COUNTIES

	Rates	Fringes
Asbestos Removal Laborer		
Areas A & B.....	\$ 16.75	5.93
LABORER (Lead Removal)		
Area A.....	\$ 32.38	6.03
Area B.....	\$ 31.38	6.03

ASBESTOS REMOVAL-SCOPE OF WORK: Site mobilization; initial site clean-up; site preparation; removal of asbestos-containing materials from walls and ceilings; or from pipes, boilers and mechanical systems only if they are being scrapped; encapsulation, enclosure and disposal of asbestos-containing materials by hand or with equipment or machinery; scaffolding; fabrication of temporary wooden barriers; and assembly of decontamination stations.

 LABO0067-003 07/01/2007

AREA A: ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN MATEO & SANTA CLARA

AREA B: ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, DEL NORTE, EL DORADO, FRESNO, GLENN, HUMBOLDT, KINGS, LAKE, LASSEN, MADERA, MARIPOSA, MENOCINO, MERCED, MODOC, MONTEREY, NAPA, NEVADA, PLACER, PLUMAS, SANCRMENTO, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, SIERRA, SHASTA, SISKIYOU, SOLANO, SONOMA, STANISLAUS,TEHAMA,TRINITY, TULARE, TUOLUMNE, YOLO & YUBA COUNTIES

	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person		
Area A.....	\$ 24.89	13.28
Area B.....	\$ 23.89	13.28

Traffic Control Person I		
Area A.....	\$ 25.19	13.28
Area B.....	\$ 24.19	13.28
Traffic Control Person II		
Area A.....	\$ 22.69	13.28
Area B.....	\$ 21.69	13.28

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0067-006 06/25/2007

AREA "A" - ALAMEDA, CONTRA COSTA, MARIN, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES

AREA "B" - ALPINE, AMADOR, BUTTE, CALAVERAS, COLUSA, EL DORADO, FRESNO, GLENN, KINGS, LASSEN, MADERA, MARIPOSA, MERCED, MODOC, MONTEREY, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SAN

BENITO, SAN JOAQUIN, SANTA CRUZ, SHASTA, SIERRA, SISKIYOU, SOLANO, SONOMA, STANISLAUS, SUTTER, TEHAMA, TRINITY, TULARE, TUOLUMNE, YOLO AND YUBA COUNTIES

	Rates	Fringes
Laborers: (CONSTRUCTION CRAFT LABORERS - AREA A:) Construction Specialist		
Group.....	\$ 25.84	13.28
GROUP 1.....	\$ 25.14	13.28
GROUP 1-a.....	\$ 25.36	13.28
GROUP 1-c.....	\$ 25.19	13.28
GROUP 1-e.....	\$ 25.69	13.28
GROUP 1-f.....	\$ 25.72	13.28
GROUP 1-g (Contra Costa County).....		
	\$ 25.34	13.28
GROUP 2.....	\$ 24.99	13.28
GROUP 3.....	\$ 24.89	13.28
GROUP 4.....	\$ 18.58	13.28

See groups 1-b and 1-d under laborer classifications.

Laborers: (CONSTRUCTION CRAFT

LABORERS - AREA B:)

Construction Specialist

Group.....	\$ 24.84	13.28
GROUP 1.....	\$ 24.14	13.28
GROUP 1-a.....	\$ 24.36	13.28
GROUP 1-c.....	\$ 24.19	13.28
GROUP 1-e.....	\$ 24.69	13.28
GROUP 1-f.....	\$ 24.72	13.28
GROUP 2.....	\$ 23.99	13.28
GROUP 3.....	\$ 23.89	13.28
GROUP 4.....	\$ 17.58	13.28

See groups 1-b and 1-d under laborer classifications.

Laborers: (GUNITE - AREA A:)

GROUP 1.....	\$ 26.10	13.28
GROUP 2.....	\$ 25.60	13.28
GROUP 3.....	\$ 25.01	13.28
GROUP 4.....	\$ 24.89	13.28

Laborers: (GUNITE - AREA B:)

GROUP 1.....	\$ 25.10	13.28
GROUP 2.....	\$ 24.60	13.28
GROUP 3.....	\$ 24.01	13.28
GROUP 4.....	\$ 23.89	13.28

Laborers: (WRECKING - AREA A:)

GROUP 1.....	\$ 25.14	13.28
GROUP 2.....	\$ 24.99	13.28
GROUP 3.....	\$ 18.58	13.28

Laborers: (WRECKING - AREA B:)

GROUP 1.....	\$ 24.14	13.28
GROUP 2.....	\$ 23.99	13.28
GROUP 3.....	\$ 17.58	13.28

Landscape Laborer (GARDENERS,
HORTICULTURAL & LANDSCAPE
LABORERS - AREA A:)

(1) New Construction.....	\$ 24.89	13.28
(2) Establishment Warranty Period.....	\$ 18.58	13.28

Landscape Laborer (GARDENERS,
HORTICULTURAL & LANDSCAPE
LABORERS - AREA B:)

(1) New Construction.....	\$ 23.89	12.33
(2) Establishment Warranty Period.....	\$ 17.58	12.33

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the

applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in-place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and buckler; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and

rigging; Tank cleaner; Tree climber; Turbo blaster;
Vibrascreed, bull float in connection with laborers' work;
Vibrator; Hazardous waste worker (lead removal); Asbestos
and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143
and similar type drills; Track driller; Jack leg driller;
Wagon driller; Mechanical drillers, all types regardless of
type or method of power; Mechanical pipe layers, all types
regardless of type or method of power; Blaster and powder;
All work of loading, placing and blasting of all powder and
explosives of whatever type regardless of method used for
such loading and placing; High scalers (including drilling
of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above
Group 1 wage rates. "Sewer cleaner" means any worker who
handles or comes in contact with raw sewage in small
diameter sewers. Those who work inside recently active,
large diameter sewers, and all recently active sewer
manholes shall receive \$5.00 per day above Group 1 wage
rates.

GROUP 1-c: Burning and welding in connection with laborers'
work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All
employees performing work covered herein shall receive \$
.25 per hour above their regular rate for all work
performed on underground structures not specifically
covered herein. This paragraph shall not be construed to
apply to work below ground level in open cut. It shall
apply to cut and cover work of subway construction after
the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts
thereof, and work on and in deep footings. (A deep footing
is a hole 15 feet or more in depth.) In the event the
depth of the footing is unknown at the commencement of
excavation, and the final depth exceeds 15 feet, the deep
footing wage rate would apply to all employees for each and
every day worked on or in the excavation of the footing
from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting
or shot crete

GROUP 1-g, CONTRA COSTA COUNTY: Pipelayer (including grade checking in connection with pipelaying); Caulker; Bander; Pipewrapper; Conduit layer; Plastic pipe layer; Pressure pipe tester; No joint pipe and stripping of same, including repair of voids; Precast manhole setters, cast in place manhole form setters

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification "material cleaner" is to be utilized under the following conditions:
A: at demolition site for the salvage of the material.
B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.
C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of "form stripping, cleaning and oiling and moving to the next point of erection".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural nozzle operator

GROUP 2: Nozzle operator (including gun, pot); Ground person

GROUP 3: Rebound

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

GROUP 3: General laborer (includes all clean-up work, loading lumber, loading and burning of debris)

LABO0067-010 06/25/2007

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1.....	\$ 30.50	13.28
GROUP 2.....	\$ 30.27	13.28
GROUP 3.....	\$ 30.02	13.28
GROUP 4.....	\$ 30.02	13.28
GROUP 5.....	\$ 29.57	13.28
GROUP 6.....	\$ 29.03	13.28

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading;

Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Guniting & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman

GROUP 4: Steel form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 5: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading

GROUP 6: Dumpmen (any method); Grout crew; Reboundman; Swamper/ Brakeman

LABO0073-001 07/01/2007

	Rates	Fringes
Plasterer tender.....	\$ 26.17	12.68

LABO0139-002 07/01/2007

NAPA, SOLANO AND SONOMA COUNTIES

	Rates	Fringes
LABORER: Mason Tender (Brick)...	\$ 25.18	13.27

LABO0185-002 07/01/2007

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

	Rates	Fringes
LABORER: Mason Tender (Brick)...	\$ 24.63	13.27

LABO0291-001 07/01/2007

MARIN COUNTY

	Rates	Fringes
Brick Tender.....	\$ 26.18	13.27

PAIN0016-004 01/01/2008

MARIN, NAPA, SOLANO & SONOMA COUNTIES

	Rates	Fringes
Painters:.....	\$ 32.55	14.57

PREMIUMS:

EXOTIC MATERIALS - \$0.75 additional per hour.
 SPRAY WORK: - \$0.50 additional per hour.
 INDUSTRIAL PAINTING - \$0.25 additional per hour
 [Work on industrial buildings used for the manufacture and
 processing of goods for sale or service; steel construction
 (bridges), stacks, towers, tanks, and similar structures]

HIGH WORK:

over 50 feet - \$2.00 per hour additional
 100 to 180 feet - \$4.00 per hour additional
 Over 180 feet - \$6.00 per hour additional

PAIN0016-005 08/01/2007

ALPINE, BUTTE, COLUSA, EL DORADO (west of the Sierra Nevada
 Mountains), GLENN, LASSEN (west of Hwy. 395, excluding Honey
 Lake); MARIN, MODOC, NAPA, NEVADA (west of the Sierra Nevada
 Mountains), PLACER (west of the Sierra Nevada Mountains),
 PLUMAS, SACRAMENTO, SHASTA, SIERRA (west of the Sierra Nevada
 Mountains), SISKIYOU, SOLANO, SONOMA, SUTTER, TEHAMA, TRINITY,
 YOLO AND YUBA COUNTIES

	Rates	Fringes
DRYWALL FINISHER/TAPER.....	\$ 32.24	12.67

PAIN0016-007 01/01/2008

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO (west of the Sierra

Nevada Mountains), GLENN, LASSEN (west of Highway 395, excluding Honey Lake), MODOC, NEVADA (west of the Sierra Nevada Mountains), PLACER (west of the Sierra Nevada Mountains), PLUMAS, SACRAMENTO, SHASTA, SIERRA (west of the Sierra Nevada Mountains), SISKIYOU, SUTTER, TEHAMA, TRINITY, YOLO & YUBA COUNTIES

	Rates	Fringes
Painters:.....	\$ 28.47	11.66

SPRAY/SANDBLAST: \$0.50 additional per hour.
 EXOTIC MATERIALS: \$1.00 additional per hour.
 HIGH TIME: Over 50 ft above ground or water level \$2.00 additional per hour. 100 to 180 ft above ground or water level \$4.00 additional per hour. Over 180 ft above ground or water level \$6.00 additional per hour.

 PAIN0016-008 01/01/2008

MARIN, NAPA, SOLANO AND SONOMA COUNTIES

	Rates	Fringes
SOFT FLOOR LAYER.....	\$ 39.16	14.12

 PAIN0169-004 01/01/2008

MARIN, NAPA & SONOMA COUNTIES; SOLANO COUNTY (west of a line defined as follows: Hwy. 80 corridor beginning at the City of Fairfield, including Travis Air Force Base and Suisun City; going north of Manakas Corner Rd., continue north on Suisun Valley Rd. to the Napa County line; Hwy. 80 corridor south on Grizzly Island Rd. to the Grizzly Island Management area)

	Rates	Fringes
GLAZIER.....	\$ 36.86	16.61

 * PAIN0567-001 07/01/2007

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada

Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains); AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

	Rates	Fringes
Painters:		
Brush and Roller.....	\$ 23.44	7.80

PREMIUMS:

Special Coatings (Brush), and Sandblasting = \$0.50/hr
Special Coatings (Spray), and Steeplejack = \$1.00/hr
Special Coating Spray Steel = \$1.25/hr
Swing Stage = \$2.00/hr

*A special coating is a coating that requires the mixing of 2 or more products.

PAIN0567-007 01/01/2008

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains) AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

	Rates	Fringes
SOFT FLOOR LAYER.....	\$ 24.25	8.60

PAIN0567-010 07/01/2007

EL DORADO COUNTY (east of the Sierra Nevada Mountains); LASSEN COUNTY (east of Highway 395, beginning at Stacey and including Honey Lake); NEVADA COUNTY (east of the Sierra Nevada Mountains); PLACER COUNTY (east of the Sierra Nevada Mountains); AND SIERRA COUNTY (east of the Sierra Nevada Mountains)

	Rates	Fringes
Drywall		
(1) Taper.....	\$ 24.69	7.80

(2) Steeplejack - Taper,
over 40 ft with open space
below.....\$ 26.19 7.80

PAIN0767-004 01/01/2008

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC,
NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU,
SOLANO (Remainder), SUTTER, TEHAMA, TRINITY, YOLO, YUBA

	Rates	Fringes
GLAZIER.....	\$ 31.02	15.25

PAID HOLIDAYS: New Year's Day, Martin Luther King, Jr. Day,
President's Day, Memorial Day, Independence Day, Labor Day,
Veteran's Day, Thanksgiving Day, and Christmas Day.

Employee required to wear a body harness shall receive \$1.50
per hour above the basic hourly rate at any elevation.

PAIN1176-001 07/01/2007

HIGHWAY IMPROVEMENT

	Rates	Fringes
Parking Lot Striping/Highway Marking:		
GROUP 1.....	\$ 26.76	11.54
GROUP 2.....	\$ 21.55	11.54
GROUP 3.....	\$ 22.18	11.54

CLASSIFICATIONS

GROUP 1: Striper: Layout and application of painted traffic
stripes and marking; hot thermo plastic; tape, traffic
stripes and markings

GROUP 2: Gamecourt & Playground Installer

GROUP 3: Protective Coating, Pavement Sealing

PAIN1237-001 01/01/2008

ALPINE; COLUSA; EL DORADO (west of the Sierra Nevada Mountains); GLENN; LASSEN (west of Highway 395, beginning at Stacey and including Honey Lake); MODOC; NEVADA (west of the Sierra Nevada Mountains); PLACER (west of the Sierra Nevada Mountains); PLUMAS; SACRAMENTO; SHASTA; SIERRA (west of the Sierra Nevada Mountains); SISKIYOU; SUTTER; TEHAMA; TRINITY; YOLO AND YUBA COUNTIES

	Rates	Fringes
SOFT FLOOR LAYER.....	\$ 28.01	12.57

PLAS0300-003 07/01/2007

	Rates	Fringes
PLASTERER		
AREA 295: Alpine, Amador, Butte, Colusa, El Dorado, Glenn, Lassen, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sutter, Tehema, Trinity, Yolo & Yuba Counties.....		
	\$ 31.82	13.30
AREA 355: Marin, Napa & Sonoma Counties.....		
	\$ 31.82	13.50

PLAS0300-005 07/01/2006

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER...	\$ 25.88	15.03

PLUM0036-005 01/01/2008

AREA 1: ALPINE; AMADOR (south of the San Joaquin River) COUNTIES

AREA 2: BUTTE, COLUSA, GLENN, LASSEN, MODOC, PLUMAS, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA, TRINITY AND YUBA COUNTIES

Rates	Fringes
-------	---------

PLUMBER

Area 1.....	\$ 33.75	16.18
Area 2.....	\$ 33.75	16.18

 PLUM0038-002 07/01/2007

MARIN AND SONOMA COUNTIES

	Rates	Fringes
PLUMBER		
(1) Work on wooden frame structures 5 stories or less excluding high-rise buildings and commercial work such as hospitals, prisons, hotels, and schools.....		
	\$ 38.00	26.46
(2) All other work.....	\$ 47.50	29.04

 PLUM0038-006 07/01/2007

MARIN & SONOMA COUNTIES

	Rates	Fringes
Landscape/Irrigation Fitter.....	\$ 34.45	18.92

 PLUM0343-001 07/01/2007

NAPA AND SOLANO COUNTIES

	Rates	Fringes
PLUMBER/PIPEFITTER		
Light Commercial.....	\$ 30.60	15.20
All Other Work.....	\$ 39.60	16.85

DEFINITION OF LIGHT COMMERCIAL:

Work shall include strip shopping centers, office buildings, schools and other commercial structures which the total plumbing bid does not exceed Two Hundred and Fifty Thousand (\$250,000) and the total heating and cooling does not exceed Two Hundred Fifty Thousand (\$250,000); or Any projects bid in phases shall not qualify unless the total project is less than Two Hundred Fifty Thousand (\$250,000) for the plumbing bid; and Two Hundred Fifty Thousand

(\$250,000) for the heating and cooling bid. Excluded are hospitals, jails, institutions and industrial projects, regardless size of the project

FOOTNOTES: While fitting galvanized material: \$.75 per hour additional. Work from trusses, temporary staging, unguarded structures 35' from the ground or water: \$.75 per hour additional. Work from swinging scaffolds, boatswains chairs or similar devices: \$.75 per hour additional.

 PLUM0350-001 01/01/2007

EL DORADO COUNTY (Lake Tahoe area only); NEVADA COUNTY (Lake Tahoe area only); AND PLACER COUNTY (Lake Tahoe area only)

	Rates	Fringes
PLUMBER/PIPEFITTER.....	\$ 25.93	15.02

 PLUM0355-001 07/01/2007

ALPINE, AMADOR, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NAPA, NEVADA, PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SOLANO, SUTTER, TEHAMA, TRINITY, YOLO, AND YUBA COUNTIES

	Rates	Fringes
Underground Utility Worker /Landscape Fitter.....	\$ 24.35	7.85

 PLUM0447-001 07/01/2007

AMADOR (north of San Joaquin River), EL DORADO (excluding Lake Tahoe area), NEVADA (excluding Lake Tahoe area); PLACER (excluding Lake Tahoe area), SACRAMENTO AND YOLO COUNTIES

	Rates	Fringes
PLUMBER/PIPEFITTER		
Journeyman.....	\$ 37.32	12.90
Light Commercial Work.....	\$ 25.73	9.02

ROOF0081-006 08/01/2007

MARIN, NAPA, SOLANO AND SONOMA COUNTIES

	Rates	Fringes
Roofer.....	\$ 28.95	12.65

ROOF0081-007 08/01/2007

ALPINE, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA,
PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER,
TEHAMA, TRINITY, YOLO, AND YUBA COUNTIES

	Rates	Fringes
Roofer.....	\$ 22.82	13.88

SFCA0483-003 07/01/2007

MARIN, NAPA, SOLANO AND SONOMA COUNTIES

	Rates	Fringes
SPRINKLER FITTER (Fire Sprinklers).....	\$ 44.94	17.30

* SFCA0669-003 04/01/2008

ALPINE, BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA,
PLACER, PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER,
TEHAMA, TRINITY, YOLO AND YUBA COUNTIES

	Rates	Fringes
SPRINKLER FITTER.....	\$ 32.65	15.05

SHEE0104-006 07/01/2007

MARIN, NAPA, SOLANO SONOMA & TRINITY COUNTIES

	Rates	Fringes
--	-------	---------

Sheet Metal Worker

Mechanical Contracts		
\$200,000 or less.....	\$ 41.32	19.78
All other work.....	\$ 44.90	20.88

SHEE0104-014 07/01/2007

MARIN, NAPA, SOLANO, SONOMA AND TRINITY COUNTIES

	Rates	Fringes
Sheet Metal Worker (Metal decking and siding only).....	\$ 33.08	19.21

SHEE0162-006 01/01/2008

AMADOR, COLUSA, EL DORADO, NEVADA, PLACER, SACRAMENTO,
SUTTER,
YOLO AND YUBA COUNTIES

	Rates	Fringes
SHEET METAL WORKER.....	\$ 35.04	17.74

SHEE0162-007 01/01/2008

AIPINE COUNTY

	Rates	Fringes
Sheet Metal Worker.....	\$ 29.32	16.18

SHEE0162-008 07/01/2005

BUTTE, COLUSA, EL DORADO, GLENN, LASSEN, MODOC, NEVADA, PLACER,
PLUMAS, SACRAMENTO, SHASTA, SIERRA, SISKIYOU, SUTTER, TEHAMA,
YOLO AND YUBA COUNTIES

	Rates	Fringes
Sheet Metal Worker (Metal decking and siding only).....	\$ 32.84	15.20

SHEE0162-014 01/01/2008

BUTTE, GLENN, LASSEN, MODOC, PLUMAS, SHASTA, SIERRA, SISKIYOU
AND TEHAMA COUNTIES

	Rates	Fringes
SHEET METAL WORKER		
Mechanical Jobs \$200,000 &		
under.....	\$ 26.58	17.62
Mechanical Jobs over		
\$200,000.....	\$ 35.04	17.74

TEAM0094-001 07/01/2007

	Rates	Fringes
Truck drivers:		
GROUP 1.....	\$ 25.63	17.09
GROUP 2.....	\$ 25.93	17.09
GROUP 3.....	\$ 26.23	17.09
GROUP 4.....	\$ 26.68	17.09
GROUP 5.....	\$ 26.93	17.09

FOOTNOTES:

Articulated dump truck; Bulk cement spreader (with or without auger); Dumpcrete truck; Skid truck (debris box); Dry pre-batch concrete mix trucks; Dumpster or similar type; Slurry truck: Use dump truck yardage rate.
Heater planer; Asphalt burner; Scarifier burner; Industrial lift truck (mechanical tailgate); Utility and clean-up truck: Use appropriate rate for the power unit or the equipment utilized.

TRUCK DRIVER CLASSIFICATIONS

GROUP 1: Dump trucks, under 6 yds.; Single unit flat rack (2-axle unit); Nipper truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump machine; Fork lift and lift jitneys; Fuel and/or grease truck driver or fuel person; Snow buggy; Steam cleaning; Bus or personhaul driver; Escort or pilot car driver; Pickup truck; Teamster oiler/greaser and/or serviceperson; Hook tender (including loading and unloading); Team driver; Tool room attendant (refineries)

GROUP 2: Dump trucks, 6 yds. and under 8 yds.; Transit mixers, through 10 yds.; Water trucks, under 7,000 gals.; Jetting trucks, under 7,000 gals.; Single-unit flat rack (3-axle unit); Highbed heavy duty transport; Scissor truck; Rubber-tired muck car (not self-loaded); Rubber-tired truck jumbo; Winch truck and "A" frame drivers; Combination winch truck with hoist; Road oil truck or bootperson; Buggymobile; Ross, Hyster and similar straddle carriers; Small rubber-tired tractor

GROUP 3: Dump trucks, 8 yds. and including 35 yds.; Transit mixers, over 10 yds.; Water trucks, 7,000 gals. and over; Jetting trucks, 7,000 gals. and over; Vacuum trucks under 7500 gals. Trucks towing tilt bed or flat bed pull trailers; Lowbed heavy duty transport; Heavy duty transport tiller person; Self-propelled street sweeper with self-contained refuse bin; Boom truck - hydro-lift or Swedish type extension or retracting crane; P.B. or similar type self-loading truck; Tire repairperson; Combination bootperson and road oiler; Dry distribution truck (A bootperson when employed on such equipment, shall receive the rate specified for the classification of road oil trucks or bootperson); Ammonia nitrate distributor, driver and mixer; Snow Go and/or plow

GROUP 4: Dump trucks, over 35 yds. and under 65 yds.; Water pulls - DW 10's, 20's, 21's and other similar equipment when pulling Aqua/pak or water tank trailers; Helicopter pilots (when transporting men and materials); Lowbedk Heavy Duty Transport up to including 7 axles; DW10's, 20's, 21's and other similar Cat type, Terra Cobra, LeTourneau Pulls, Tournorocker, Euclid and similar type equipment when pulling fuel and/or grease tank trailers or other miscellaneous trailers; Vacuum Trucks 7500 gals and over and truck repairman

GROUP 5: Dump trucks, 65 yds. and over; Holland hauler; Low bed Heavy Duty Transport over 7 axles

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.