

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BEL/A	Annual Conveyor Belt Maintenance	DIN01	365		12

Procedures

- 1 Check runner system alignment and wear.
- 2 Lubricate drive and tail bearings.
- 3 Change oil in gear reducer.
- 4 Lubricate drive train.
- 5 Check detergent pump inlet strainer for obstructions.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BEL/M	Monthly Conveyor Belt Maintenance	DIN01	30		1

Procedures

- 1 Check detergent pump inlet strainer for obstructions.
- 2 Check gear reducer oil level.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BEL/SA	Semi-Annual Conveyor Belt Maintenance	DIN01	180		6

Procedures

- 1 Lubricate drive train.
- 2 Check detergent pump inlet strainer for obstructions.
- 3 Lubricate drive and tail bearings.
- 4 Change oil in gear reducer.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BEL/W	Weekly Conveyor Belt Maintenance	DIN01	7		0

Procedures

- 1 Check detergent pump inlet strainer for obstructions.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BFR/M	Monthly Brown Fridge Maintenance	DIN01	30		1

Procedures

- 1 Inspect and clean the condenser coil.
- 2 Check for all door hinges for proper adjustment.
- 3 Check thermostat for proper calibration.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BFR/Q	Quarterly Brown Fridge Maintenance	DIN01	90		3

Procedures

- 1 Check all door hinges for proper adjustment.
- 2 Check thermostat for proper calibration.
- 3 Inspect and clean the condenser coil.
- 4 Check condenser and evaporator fans for proper operation.
- 5 Check for obvious signs of leaks (oil stains, etc.)

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BFR/W	Weekly Brown Fridge Maintenance	DIN01	7		0

Procedures

- 1 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/BOS/M	Monthly Booster Heater Maintenance	DIN01	30		1

Procedures

- 1 Drain water from heater until clear to remove sediment.
- 2 Check outgoing temperature (should be 180°F).
- 3 Check operation of T&P valve.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/CAS/M	Monthly Delfield Display Case Maint	DIN01	30		1

Procedures

- 1 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/CAS/Q	Quarterly Delfield Display Case Maint	DIN01	90		3

Procedures

- 1 Check all door hinges for proper adjustment.
- 2 Check thermostat for proper calibration.
- 3 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/CAS/SA	Semi-Annual Delfield Display Case Maint	DIN01	180		6

Procedures

- 1 Check condenser and evaporator fans for proper operation.
- 2 Check for obvious signs of leaks (oil stains, etc.).
- 3 Check all door hinges for proper adjustment.
- 4 Check thermostat for proper calibration.
- 5 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/CFR/M	Monthly Continental Fridge Maintenance	DIN01	30		1

Procedures

- 1 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/CFR/Q	Quarterly Continental Fridge Maintenance	DIN01	90		3

Procedures

- 1 Check all door hinges for proper adjustment.
- 2 Check thermostat for proper calibration.
- 3 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/CFR/SA	Semi-Annual Continental Fridge Mainten	DIN01	180		6

Procedures

- 1 Check condenser and evaporator fans for proper operation.
- 2 Check for obvious signs of leaks (oil stains, etc.).
- 3 Check all door hinges for proper adjustment.
- 4 Check thermostat for proper calibration.
- 5 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/DFR/M	Monthly Delfield Fridge Maintenance	DIN01	30		1

Procedures

- 1 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/DFR/Q	Quarterly Delfield Fridge Maintenance	DIN01	90		3

Procedures

- 1 Check all door hinges for proper adjustment.
- 2 Check thermostat for proper calibration.
- 3 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/DFR/SA	Semi-Annual Delfield Fridge Maintenance	DIN01	180		6

Procedures

- 1 Check condenser and evaporator fans for proper operation.
- 2 Check for obvious signs of leaks (oil stains, etc.).
- 3 Check all doors for proper adjustment.
- 4 Check thermostat for proper calibration.
- 5 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/DIS/Q	Quarterly Garbage Disposer Maintenance	DIN01	90		3

Procedures

- 1 Check for leaks.
- 2 Check all connections. Adjust if necessary.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/DSP/M	Monthly Soda/Ice Dispenser Maint	DIN02	30		1

Procedures

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/FRY/5YR	5 Year Frymaster Fryer Maintenance	DIN01	1825		61

Procedures

- 1 Replace vacuum breaker.
- 2 Clean the gas valve vent tube.
- 3 Check the burner manifold pressure.
- 4 Check thermostat calibration.
- 5 Check alignment of rear burner ceramic target and deflector assembly.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/FRY/Q	Quarterly Frymaster Fryer Maintenance	DIN01	90		3

Procedures

- 1 Check burner manifold pressure.
- 2 Check thermostat calibration.
- 3 Check alignment of rear burner ceramic target and deflector assembly.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/FRY/S	Semi-Annual Frymaster Fryer Maintenance	DIN01	180		6

Procedures

- 1 Clean the gas valve vent tube.
- 2 Check burner manifold pressuer.
- 3 Check thermostat calibration.
- 4 Check alignment of rear burner ceramic target and deflector assembly.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/HOD/A	Annual Hood Wash Sys Maintenance	DIN01	365		12

Procedures

- 1 Check thermostat detectors for water leaks.
- 2 Replace fire link.
- 3 Remove and clean WYE strainer in control compartment.
- 4 Check all plumbing components for leaks.
- 5 Check vaccuum breaker operation.
- 6 Inspect exhaust system for excessive grease accumulation.
- 7 Check damper motors. Adjust if needed.
- 8 Run through cycle.
- 9 Remove access panels under canopy and insure the interior portion of the chamber had been cleaned.
- 10 Check spray nozzels for obstructions.
- 11 Clean and fill detergent tank.
- 12 Clean detergent foot valve and pressure tube.
- 13 Check and clean grease filters.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/HOD/M	Monthly Hood Wash Sys Maintenance	DIN01	30		1

Procedures

- 1 Run through cycle.
- 2 Remove access panels under canopy and insure the interior portion of the chamber has been cleaned.
- 3 Check spray nozzels for obstructions.
- 4 Clean and fill detergent tank.
- 5 Clean detergent foot valve and pressure tube.
- 6 Check and clean grease filters.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/HOD/Q	Quarterly Hood Wash Sys Maintenance	DIN01	90		3

Procedures

- 1 Inspect exhaust system for excessive grease accumulation.
- 2 Check damper motors. Adjust if needed.
- 3 Run through cycle.
- 4 Remove access panels under canopy and insure the interior portion of the chamber has been cleaned.
- 5 Check spray nozzels for obstructions.
- 6 Clean and fill detergent tank.
- 7 Clean detergent foot valve and pressure tube.
- 8 Check and clean grease filters.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/HOD/SA	Semi-Annual Hood Wash Sys Maintenance	DIN01	180		6

Procedures

- 1 Check all plumbing components for leaks.
- 2 Check vaccuum breaker operation.
- 3 Inspect exhaust system for excessive grease accumulation.
- 4 Check damper motors. Adjust if needed.
- 5 Run through cycle.
- 6 Remove access panels under canopy and insure the interior portion of the chamber has been cleaned.
- 7 Check spray nozzels for obstructions.
- 8 Clean and fill detergent tank.
- 9 Clean detergent foot valve and pressure tube.
- 10 Check and clean grease filters.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/HOD/W	Weekly Hood Wash Sys Maintenance	DIN01	7		0

Procedures

- 1 Clean and fill detergent tank.
- 2 Clean detergent foot valve and pressure tube.
- 3 Check and clean grease filters.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/ICE/A	Annual Ice Maker Filter Sys Maint	DIN01	365		12

Procedures

- 1 Check operation of backflow preventor.
- 2 Check for leaks.
- 3 Replace SHMP phosphate cartridge.
- 4 Replace carbon cartridges.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/ICE/Q	Quarterly Ice Maker Filter Sys Maint	DIN01	90		3

Procedures

- 1 Check for leaks.
- 2 Replace carbon cartridges.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/ICE/S	Semi-Annual Ice Maker Filter Sys Maint	DIN01	180		6

Procedures

- 1 Check for leaks.
- 2 Replace SHMP phosphate cartridge.
- 3 Replace carbon cartridges.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/ICM/M	Monthly Ice Maker Maintenance	DIN01	30		1

Procedures

- 1 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/ICM/SA	Semi-Annual Ice Maker Maintenance	DIN01	180		6

Procedures

- 1 Clean and sanitize as per manufacturer's recommendation.
- 2 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/KET/M	Monthly Steam Kettle Maintenance	DIN01	30		1

Procedures

- 1 Inspect for leaks.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/KET/SA	Semi-Annual Steam Kettle Maintenance	DIN01	180		6

Procedures

- 1 Lubricate kettle bearings using a high temperature grease.
- 2 Inspect the worm screw, tilting gears, and bearings.
- 3 Inspect for leaks.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/KST/Q	Quarterly Kettle Stanchion Maintenance	DIN01	90		3

Procedures

- 1 Check valves for proper operation.
- 2 Check backflow preventer for proper operation.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/MIC/Q	Quarterly Microwave Maintenance	DIN02	90		3

Procedures

- 1 Clean air filter.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/MIX/A	Annual Welbilt Food Mixer Maintenance	DIN01	365		12

Procedures

- 1 Lubricate moving parts of bowl arms and lifting bolt.
- 2 Lubricate varispeed system and planetary head.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/MIX/M	Monthly Welbilt Food Mixer Maintenance	DIN01	30		1

Procedures

- 1 Lubricate varispeed system and planetary head.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/OVN/Q	Quarterly Oven/Steamer Maintenance	DIN01	90		3

Procedures

- 1 Clean water line strainer.
- 2 Inspect the drain screen and drain line for blockage.
- 3 Rotate the drain screen 90° to inspect the drain opening.
- 4 Clean the drain opening and restore the screen to its operating position.
- 5 Flush the drain with clean water.
- 6 Descale the steam generator.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/OVN/W	Weekly Oven/Steamer Maintenance	DIN01	7		0

Procedures

- 1 Inspect the drain screen and drain line for blockage.
- 2 Rotate the drain screen 90° to inspect the drain opening. Clean the opening and return the screen to its operating position.
- 3 Flush drain with clean water.
- 4 Descale steam generator.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/PAN/M	Monthly Delfield Cold Pan Maintenance	DIN01	30		1

Procedures

- 1 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/PAN/Q	Quarterly Delfield Cold Pan Maintenance	DIN01	90		3

Procedures

- 1 Check all door hinges for proper adjustment.
- 2 Check thermostat for proper calibration.
- 3 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/PAN/SA	Semi-Annual Delfield Cold Pan Maint	DIN01	180		6

Procedures

- 1 Check condenser and evaporator fans for proper operation.
- 2 Check for obvious signs of leaks (oil stains, etc.).
- 3 Check all door hinges for proper adjustment.
- 4 Check thermostat for proper calibration.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/RNS/Q	Quarterly Pre-Rinse Maintenance	DIN01	90		3

Procedures

- 1 Check valves for proper operation.
- 2 Check backflow preventer for proper operation.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/SAN/M	Monthly Sani Serve Maintenance	DIN02	30		1

Procedures

- 1 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/SAN/SA	Semi-Annual Sani Serve Maintenance	DIN01	180		6

Procedures

- 1 Clean and lubricate idler arms.
- 2 Inspect and clean the condenser coil.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/SKL/Q	Quarterly Gas Skillet Maintenance	DIN01	90		3

Procedures

- 1 Check operating temperatures. Adjust if necessary.
- 2 Check hydraulic system for leaks.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/STK/M	Monthly Steam Trunion Kettle Maintenance	DIN01	30		1

Procedures

- 1 Inspect for leaks.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/STK/Q	Quarterly Steam Trunion Kettle Maint	DIN01	90		3

Procedures

- 1 Clean cold water strainer.
- 2 Descale boiler.
- 3 Inspect for leaks.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/STK/SA	Semi-Annual Steam Trunion Kettle Maint	DIN01	180		6

Procedures

- 1 Lubricate kettle bearings using a high temperature grease.
- 2 Clean cold water strainer.
- 3 Descale boiler.
- 4 Inspect for leaks.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/STM/M	Monthly Convection Steamer Maintenance	DIN01	30		1

Procedures

- 1 Inspect for leaks.
- 2 Remove the steam tubes and clean orifices.
- 3 Wash and rinse all steam tubes.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/STM/Q	Quarterly Convection Steamer Maintenance	DIN01	90		3

Procedures

- 1 Clean cold water strainer.
- 2 Descale boiler.
- 3 Inspect for leaks.
- 4 Remove the steam tubes and clean orifices.
- 5 Wash and rinse all steam tubes.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/STM/W	Weekly Convection Steamer Maintenance	DIN01	7		0

Procedures

- 1 Remove the steam tubes and clean orifices.
- 2 Wash and rinse all steam tubes.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/VEG/M	Monthly Vegetable Peeler Maintenance	DIN01	30		1

Procedures

- 1 Check drive belt tension. Adjust if necessary.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/WSH/M	Monthly Dishwasher Maintenance	DIN01	30		1

Procedures

- 1 Delime machine, if required.
- 2 Inspect machine and check pump motor for leaks.
- 3 Inspect all water lines for leaks.
- 4 Clean all detergent residue from exterior or machine.
- 5 Check drain/overflow tube(s) for leaks.
- 6 Clean accumulated scale from heating elements.
- 7 Remove and inspect spray arms for blockages. Clean if needed.
- 8 Inspect pawl bars and crank for wear.
- 9 Check float switches in tanks for freedom of travel.
- 10 Check idle pump and final rinse levers for freedom of travel.

PM TASK	DESCRIPTION	SHOP	FREQUENCY: Days	or	Months
DIN/WSH/W	Weekly Dishwasher Maintenance	DIN01	7		0

Procedures

- 1 Clean all detergent residue from exterior of machine. Check drain/overflow tube(s) for leaks.
- 2 Clean accumulated scale from heating elements.
- 3 Remove and inspect spray arms for blockages. Clean if necessary.
- 4 Inspect pawl bars and crank for wear.
- 5 Check float switches in tanks for freedom of travel.
- 6 Check idle pump and final rinse levers for freedom of travel.
- 7 Inspect all water lines for leaks.