Solicitation Number: M8-091004-N

AWDC VAN WAGON, FULL SIZE, 12 PASSENGER IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 200

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
22X.1	22 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	XL
MFG. MODEL CODE	E3B
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8800
WHEEL BASE min. in.	138
BODY SIZE, OVERALL LENGTH min./max. in.	216.7
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
Transmission	
AUTOMATIC TRANSMISSION	4 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Fuel	
FUEL CAPACITY MIN GALLONS	35
Doors and Windows	
DARK TINTED GLASS	comply
WINDOWS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
REAR DOOR TYPE	dual vertical cargo
SIDE DOOR TYPE	comply
Lights and Lighting	

Solicitation Number: M8-091004-N

AWDC VAN WAGON, FULL SIZE, 12 PASSENGER IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 200

DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING/HEATING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
FLOOR MATS	front only
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	AM/FM w/CD
Seats	
SEATING CAPACITY min.	12
FIRST ROW SEAT TYPE	bucket
Safety	
AUTOMATIC VEHICLE STABILITY CONTROL	comply
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	full size/comply
TIRES	LT225/75/RX16EAS
Towing	
REAR BUMPER	comply
Vendor Furnished Body Items	
CHASSIS MFG'S APPROVED 4X4 CONVERSION-DEALERS ONLY	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	3 yr/36,000
CONTRACTOR COMPREHENSIVE WARRANTY	3YR / 36,000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	N/A	$_____

Solicitation Number: M8-091004-N

AWDC VAN WAGON, FULL SIZE, 12 PASSENGER IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 200

Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Stand Alone	$_____
Exterior				
RB	RUNNING BOARDS	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SE	SIDE DOOR, SLIDING TYPE, VAN	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
NAV	NAVIGATION SYSTEM	_____	Stand Alone	$_____
Interior				
CRTS	CRUISE CONTROL AND TILT STEERING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
VU	VINYL UPHOLSTERY, FRONT AND REAR	_____	Package	$_____
Floor				
RF	VINYL FLOOR COVERING	_____	Stand Alone	$_____
Seats				
PWD	POWER DRIVER'S SEAT	_____	Package	$_____
Safety				
CBU	BACKUP CAMERA	_____	Stand Alone	$_____
SRO	OEM REVERSE OBSTACLE SENSOR	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

AWDC VAN WAGON, FULL SIZE, 15 PASSENGER IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 200

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
24X.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	XLT
MFG. MODEL CODE	S3B
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9100
WHEEL BASE min. in.	138
BODY SIZE, OVERALL LENGTH min./max. in.	236.7
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
Transmission	
AUTOMATIC TRANSMISSION	4 speed
Drive Axle	
AUTOMATIC TRACTION CONTROL	comply
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Fuel	
FUEL CAPACITY MIN GALLONS	35
Doors and Windows	
DARK TINTED GLASS	comply
WINDOWS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
REAR DOOR TYPE	dual vertical cargo
SIDE DOOR TYPE	comply

Solicitation Number: M8-091004-N

AWDC VAN WAGON, FULL SIZE, 15 PASSENGER IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 200

Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING/HEATING	comply
POWER STEERING	comply
UPHOLSTERY	cloth
Floor	
FLOOR COVERING	COMPLY
FLOOR MATS	front only
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	AM/FM w/CD
Seats	
SEATING CAPACITY min.	15
FIRST ROW SEAT TYPE	bucket
Safety	
AUTOMATIC VEHICLE STABILITY CONTROL	comply
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	full size/comply
TIRES	LT245/75RX16EAS
Towing	
REAR BUMPER	comply
Vendor Furnished Body Items	
CHASSIS MFG'S APPROVED 4X4 CONVERSION-DEALERS ONLY	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	3 yr/36,000
CONTRACTOR COMPREHENSIVE WARRANTY	3yr/36000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Exterior				
RB	RUNNING BOARDS	_____	Stand Alone	$_____
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

AWDC VAN WAGON, FULL SIZE, 15 PASSENGER IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 200

Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SE	SIDE DOOR, SLIDING TYPE, VAN	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Standard	$_____
Interior				
CRTS	CRUISE CONTROL AND TILT STEERING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
Floor				
RF	VINYL FLOOR COVERING	_____	Stand Alone	$_____
Seats				
PWD	POWER DRIVER'S SEAT	_____	Package	$_____
Safety				
SRO	OEM REVERSE OBSTACLE SENSOR	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

AWDC, CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
32X.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	COMMERCIAL
MFG. MODEL CODE	E1E
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8520
WHEEL BASE min. in.	138
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8 / 4.6
HORSEPOWER (min)	225
TORQUE (lb ft)	286
Transmission	
AUTOMATIC TRANSMISSION	4 SPEED
Drive Axle	
PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10
Fuel	
FUEL CAPACITY MIN GALLONS	35
Doors and Windows	
WINDOWS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
REAR DOOR TYPE	COMPLY
SIDE DOOR TYPE	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	

Solicitation Number: M8-091004-N

AWDC, CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Ceiling	
PADDED INTERIOR HEADLINER	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	AM/FM RADIO W/ CD
Seats	
SEATING CAPACITY min.	2
FIRST ROW SEAT TYPE	BUCKET
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT225/75RX16E/AS
Towing	
REAR BUMPER	COMPLY
Vendor Furnished Body Items	
CHASSIS MFG'S APPROVED 4X4 CONVERSION-DEALERS ONLY	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 YR / UNLIMITED
OEM POWERTRAIN WARRANTY	5 YR / 60,000
OEM COMPREHENSIVE WARRANTY	3 YR / 36,000
CONTRACTOR COMPREHENSIVE WARRANTY	3 YR / 36,000

Solicitation Number: M8-091004-N

4X2 CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR, CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
34N.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	Commercial
MFG. MODEL CODE	S3E
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9500
WHEEL BASE min. in.	138
BODY SIZE, OVERALL LENGTH min./max. in.	237
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
Transmission	
AUTOMATIC TRANSMISSION	4 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10
Fuel	
FUEL CAPACITY MIN GALLONS	35
Doors and Windows	
WINDOWS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
REAR DOOR TYPE	dual vertical cargo
SIDE DOOR TYPE	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply

Solicitation Number: M8-091004-N

4X2 CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR, CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	cloth

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	AM/FM radio w/CD

Seats

SEATING CAPACITY min.	2
FIRST ROW SEAT TYPE	bucket

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Tires and Wheels

TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	full size/comply
TIRES	LT245/75RX16E/AS

Towing

REAR BUMPER	comply

Warranty

OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	3 yr/36,000
CONTRACTOR COMPREHENSIVE WARRANTY	3 yr/36,000

Solicitation Number: M8-091004-N

AWDC, CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
34X.1	53 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
MFG. MODEL CODE	S3E
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9500
WHEEL BASE min. in.	138
BODY SIZE, OVERALL LENGTH min./max. in.	237
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
Transmission	
AUTOMATIC TRANSMISSION	4 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10
Fuel	
FUEL CAPACITY MIN GALLONS	35
Doors and Windows	
WINDOWS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
REAR DOOR TYPE	dual vertical cargo
SIDE DOOR TYPE	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	

Solicitation Number: M8-091004-N

AWDC, CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	cloth
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	AM/FM radio w/CD
Seats	
SEATING CAPACITY min.	2
FIRST ROW SEAT TYPE	bucket
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	full size/comply
TIRES	LT245/75RX16E/AS
Towing	
REAR BUMPER	comply
Vendor Furnished Body Items	
CHASSIS MFG'S APPROVED 4X4 CONVERSION-DEALERS ONLY	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	3 yr/36,000
CONTRACTOR COMPREHENSIVE WARRANTY	3YR / 36,000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
RBL	OEM REDUCED BODY LENGTH	_____	Stand Alone	$_____
XL	EXTRA LONG BODY	_____	Standard	$_____
Engines				
YD	DIESEL ENGINE	_____	N/A	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

AWDC, CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Fuel				
AUFP	AUXILIARY FUEL PORT	_____	Stand Alone	$_____
Exterior				
RB	RUNNING BOARDS	_____	Stand Alone	$_____
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
DRG	DELETE REAR WINDOW	_____	Package	$_____
DTG	DARK TINTED GLASS	_____	Stand Alone	$_____
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SE	SIDE DOOR, SLIDING TYPE, VAN	_____	Stand Alone	$_____
WD	SIDE CARGO DOOR WINDOWS	_____	Stand Alone	$_____
WY	WINDOWS, ALL SIDES	_____	Package	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
NAV	NAVIGATION SYSTEM	_____	Package	$_____
Interior				
AC2	AUX. REAR AIR CONDITIONING	_____	Package	$_____
AH	AUXILIARY HEATER	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
VU	VINYL UPHOLSTERY, FRONT AND REAR	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
Seats				
PWD	POWER DRIVER'S SEAT	_____	Package	$_____
Safety				
AVSC	AUTOMATIC VEHICLE STABILITY CONTROL	_____	Package	$_____
CBU	BACKUP CAMERA	_____	Stand Alone	$_____
SRO	OEM REVERSE OBSTACLE SENSOR	_____	Package	$_____

Solicitation Number: M8-091004-N

AWDC, CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Receiver Hitch				
RH3	OEM DRAW BAR RECEIVER CLASS III	_____	N/A	$_____
RH4	OEM DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
44N.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	XL
MFG. MODEL CODE	X2A
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	Comply
PICKUP BED, LOAD LENGTH min. ft.	8
BODY STYLE	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2 FFV
HORSEPOWER (min)	300
TORQUE (lb ft)	365
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Doors and Windows	
DOORS	4

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
CLOTH UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Towing	
REAR BUMPER	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Stand Alone	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Stand Alone	$_____
Rear Axle Differential				

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Stand Alone	$_____
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
BL	BED LINER	_____	Stand Alone	$_____
CBE	CARGO BED EXTENDER	_____	Stand Alone	$_____
RB	RUNNING BOARDS	_____	Stand Alone	$_____
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
Doors and Windows				
DTG	DARK TINTED GLASS	_____	Stand Alone	$_____
RKE	REMOTE KEYLESS ENTRY	_____	Stand Alone	$_____
RKS	REMOTE KEYLESS START	_____	Stand Alone	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
BTCS	BLUETOOTH COMPATIBLE SYSTEM	_____	Stand Alone	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
VU	VINYL UPHOLSTERY, FRONT AND REAR	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	$_____
MF	FLOOR MATS	_____	Stand Alone	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
CBU	BACKUP CAMERA	_____	Stand Alone	$_____
OS	ON STAR	_____	Stand Alone	$_____
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	Stand Alone	$_____
SRO	OEM REVERSE OBSTACLE SENSOR	_____	Stand Alone	$_____
STG	TAILGATE STEP	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
CTBP	OEM TRAILER BRAKE CONTROLLER PRE-WIRING	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Stand Alone	$_____
Receiver Hitch				
RH3	OEM DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
RH4	OEM DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
44P.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	XL
MFG. MODEL CODE	X2A
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9200
PICKUP BED, LOAD LENGTH min. ft.	8
BODY STYLE	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	300
TORQUE (lb ft)	365
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Doors and Windows	
DOORS	4

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
CLOTH UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Towing	
REAR BUMPER	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
CC	CREW-CAB, 4 DOOR	_____	Stand Alone	$_____
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Stand Alone	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____

Drive Axle

ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____

Electrical

A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Stand Alone	$_____
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____

Fuel

AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Stand Alone	$_____

Exterior

BL	BED LINER	_____	Stand Alone	$_____
CBE	CARGO BED EXTENDER	_____	Stand Alone	$_____
RB	RUNNING BOARDS	_____	Stand Alone	$_____
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____

Doors and Windows

DTG	DARK TINTED GLASS	_____	Stand Alone	$_____
RKE	REMOTE KEYLESS ENTRY	_____	Stand Alone	$_____
RKS	REMOTE KEYLESS START	_____	Stand Alone	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____

Electronics Audio Visual

BTCS	BLUETOOTH COMPATIBLE SYSTEM	_____	Stand Alone	$_____
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Stand Alone	$_____

Interior

DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
VU	VINYL UPHOLSTERY, FRONT AND REAR	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____

Floor

CM	CARPETED FLOOR COVERING	_____	Stand Alone	$_____
MF	FLOOR MATS	_____	Stand Alone	$_____

Seats

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____

Safety

Solicitation Number: M8-091004-N

4X2 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI 2009

CBU	BACKUP CAMERA	_____	Stand Alone	$_____
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	Stand Alone	$_____
SRO	OEM REVERSE OBSTACLE SENSOR	_____	Stand Alone	$_____
STG	TAILGATE STEP	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
CTBP	OEM TRAILER BRAKE CONTROLLER PRE-WIRING	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Stand Alone	$_____
Receiver Hitch				
RH3	OEM DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
RH4	OEM DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
49N.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	XL
MFG. MODEL CODE	X2B
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	Comply
PICKUP BED, LOAD LENGTH min. ft.	8
BODY STYLE	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2 FFV
HORSEPOWER (min)	300
TORQUE (lb ft)	365
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
CLOTH UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75R17E AS
Towing	
FRONT TOW HOOKS	comply
REAR BUMPER	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Stand Alone	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Stand Alone	$_____
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
BL	BED LINER	_____	Stand Alone	$_____
CBE	CARGO BED EXTENDER	_____	Stand Alone	$_____
RB	RUNNING BOARDS	_____	Stand Alone	$_____
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
Doors and Windows				
DTG	DARK TINTED GLASS	_____	Stand Alone	$_____
RKE	REMOTE KEYLESS ENTRY	_____	Stand Alone	$_____
RKS	REMOTE KEYLESS START	_____	Stand Alone	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
BTCS	BLUETOOTH COMPATIBLE SYSTEM	_____	Stand Alone	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
VU	VINYL UPHOLSTERY, FRONT AND REAR	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	$_____
MF	FLOOR MATS	_____	Stand Alone	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
CBU	BACKUP CAMERA	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE, EXT CAB, MIN 8000 GVWR CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

OS	ON STAR	_____	Stand Alone	$_____
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	Stand Alone	$_____
SRO	OEM REVERSE OBSTACLE SENSOR	_____	Stand Alone	$_____
STG	TAILGATE STEP	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
CTBP	OEM TRAILER BRAKE CONTROLLER PRE-WIRING	_____	Stand Alone	$_____
Receiver Hitch				
RH3	OEM DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
RH4	OEM DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE,EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
49P.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	XL
MFG. MODEL CODE	X2B
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
PICKUP BED, LOAD LENGTH min. ft.	8
BODY STYLE	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	300
TORQUE (lb ft)	365
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	Comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE,EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

FUEL CAPACITY MIN GALLONS	35
Exterior	
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
CLOTH UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Tires and Wheels	
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75R17E AS
Towing	
FRONT TOW HOOKS	comply
REAR BUMPER	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
CC	CREW-CAB, 4 DOOR	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE,EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

WR	INCREASE GVWR	_____	Stand Alone	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Stand Alone	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Stand Alone	$_____
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Stand Alone	$_____
Exterior				
BL	BED LINER	_____	Stand Alone	$_____
CBE	CARGO BED EXTENDER	_____	Stand Alone	$_____
RB	RUNNING BOARDS	_____	Stand Alone	$_____
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
Doors and Windows				
DTG	DARK TINTED GLASS	_____	Stand Alone	$_____
RKE	REMOTE KEYLESS ENTRY	_____	Stand Alone	$_____
RKS	REMOTE KEYLESS START	_____	Stand Alone	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
BTCS	BLUETOOTH COMPATIBLE SYSTEM	_____	Stand Alone	$_____
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Stand Alone	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Stand Alone	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 PICKUP, FULL SIZE,EXT CAB, MIN 8000 GVWR PROPANE IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

VU	VINYL UPHOLSTERY, FRONT AND REAR	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	$_____
MF	FLOOR MATS	_____	Stand Alone	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
BUA	BACK-UP ALARM	_____	Stand Alone	$_____
CBU	BACKUP CAMERA	_____	Stand Alone	$_____
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	Stand Alone	$_____
SRO	OEM REVERSE OBSTACLE SENSOR	_____	Stand Alone	$_____
STG	TAILGATE STEP	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
CTBP	OEM TRAILER BRAKE CONTROLLER PRE-WIRING	_____	Stand Alone	$_____
Receiver Hitch				
RH3	OEM DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
RH4	OEM DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
73.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	F2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Package	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
73C.1	3 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	X2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	Stand Alone	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____

Transmission

T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	$_____

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____

Drive Axle

ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____

Electrical

A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____

Exterior

RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____

Electronics Audio Visual

SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____

Interior

AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Floor

CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____

Seats

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
73D.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	X3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
73E.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	W2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
73F.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	613A
MFG. MODEL CODE	W3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Standard	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Package	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74.1	7 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	613A
MFG. MODEL CODE	F3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT275/65R18/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Standard	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74A.1	5 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Package	$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Package	$_____
CA56	CAB TO AXLE LENGTH 57 IN	_____	N/A	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
NAX	NARROW TRACK, REAR AXLE	_____	N/A	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Standard	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74B.1	5 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Package	$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Package	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Stand Alone	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Stand Alone	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	Standard	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74C.1	3 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	X3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Cab to Axle				
CA56	CAB TO AXLE LENGTH 57 IN	_____	N/A	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
NAX	NARROW TRACK, REAR AXLE	_____	N/A	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SP	SKID PLATE	_____	Standard	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74D.1	7 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Package	$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	$_____
CA5	CAB TO AXLE LENGTH 126 IN	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Standard	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74E.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	W3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Standard	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Stand Alone	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

MF	FLOOR MATS	_____	Standard	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	N/A	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74F.1	2 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	W4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Stand Alone	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74G.1	2 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	W5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Stand Alone	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Stand Alone	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74H.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	X4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT JULY 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
SP	SKID PLATE	_____	N/A	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Stand Alone	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
74J.1	1 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	X5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____

Engine Accessories

EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____

Drive Axle

ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____

Electrical

A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____

Exterior

RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
SP	SKID PLATE	_____	N/A	$_____

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____

Electronics Audio Visual

SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____

Interior

AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Floor

CM	CARPETED FLOOR COVERING	_____	Package	$_____

Seats

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
75.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E3F
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
WHEEL BASE min. in.	138
Cab to Axle	
CAB TO AXLE, INCHES	80
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	FRONT ONLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
RECLINING BUCKET/CAPTAINS CHAIRS	COMPLY
SEATING CAPACITY min.	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT245/75RX/16E BSW A/S-SRW
Warranty	
OEM CORROSION WARRANTY	5 Year/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
APP	AMBULANCE BUILDER PREP PKG	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	8/6.0,235,440	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	10/6.8,305,420	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
HEV	HYBRID ELECTRIC VEHICLE	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
A16	ALTERNATOR 160 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	N/A	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Standard	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Standard	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	N/A	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	N/A	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
75A.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E3F
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	11500
WHEEL BASE min. in.	138
Cab to Axle	
CAB TO AXLE, INCHES	80
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Lights and Lighting		
	DAYTIME RUNNING LIGHTS	COMPLY
Interior		
	AIR CONDITIONING	COMPLY
	POWER STEERING	COMPLY
	UPHOLSTERY	COMPLY
Floor		
	FLOOR COVERING	COMPLY
Radio		
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats		
	RECLINING BUCKET/CAPTAINS CHAIRS	COMPLY
	SEATING CAPACITY min.	COMPLY
Safety		
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension		
	SUSPENSION/SHOCKS	COMPLY
Tires and Wheels		
	LOAD RANGE	E
	SPARE TIRE ASSEMBLY	COMPLY
	TIRES	LT225/75RX/16E BSW A/S-DRW
Warranty		
	OEM CORROSION WARRANTY	5 Year/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
APP	AMBULANCE BUILDER PREP PKG	_____	Package	$_____
WB59	WHEEL BASE, NOMINAL, 158 in	_____	Package	$_____
WB76	WHEEL BASE, NOMINAL, 176 in	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	8/6.0,235,440	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	10/6.8,305,420	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
A16	ALTERNATOR 160 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Package	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Standard	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Standard	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	N/A	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	N/A	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	Standard	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
75B.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: E450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E4F
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14050
WHEEL BASE min. in.	158
Cab to Axle	
CAB TO AXLE, INCHES	100
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	55
Exterior	
EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
RECLINING BUCKET/CAPTAINS CHAIRS	COMPLY
SEATING CAPACITY min.	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT225/75RX16E BSW A/S - DRW
Warranty	
OEM CORROSION WARRANTY	5 Year/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
APP	AMBULANCE BUILDER PREP PKG	_____	Package	$_____
WB76	WHEEL BASE, NOMINAL, 176 in	_____	Package	$_____
WR	INCREASE GVWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	8/6.0,235,440	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	10/6.8,305,420	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
AWD	OEM ALL WHEEL DRIVE	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
A16	ALTERNATOR 160 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	N/A	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Standard	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Standard	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	N/A	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	N/A	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
75D.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	STRIPPED CHASSIS
MFG. MODEL CODE	E3K
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9000
WHEEL BASE min. in.	138
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
POWER STEERING	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
Suspension	

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT245/75RX16E BSW A/S - SRW
Warranty	
OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WB59	WHEEL BASE, NOMINAL, 158 in	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Package	$_____
Interior				
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	N/A	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

DDRH	DEALER DELIVERY HAWAII	_____	N/A	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
75E.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	STRIPPED CHASSIS
MFG. MODEL CODE	E3K
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	11500
WHEEL BASE min. in.	138
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
POWER STEERING	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
Suspension	

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT225/75RX/16E BSW A/S-DRW
Warranty	
OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WB59	WHEEL BASE, NOMINAL, 158 in	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	10/6.8,305,420	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Package	$_____
Interior				
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	N/A	$_____

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	N/A	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	Standard	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	N/A	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
75F.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: E450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	STRIPPED CHASSIS
MFG. MODEL CODE	E4K
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14050
WHEEL BASE min. in.	158
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	55
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
POWER STEERING	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
Suspension	

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

	SUSPENSION/SHOCKS	COMPLY
Tires and Wheels		
	LOAD RANGE	E
	SPARE TIRE ASSEMBLY	COMPLY
	TIRES	LT225/75RX16E BSW A/S - DRW
Warranty		
	OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	10/6.8,305,420	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	N/A	$_____
Interior				
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	Standard	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	N/A	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	N/A	$_____
Delivery outside CONUS				

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	N/A	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	N/A	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
75G.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
WHEEL BASE min. in.	188.8
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
POWER STEERING	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
Suspension	

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

	SUSPENSION/SHOCKS	COMPLY
Tires and Wheels		
	LOAD RANGE	E
	SPARE TIRE ASSEMBLY	COMPLY
	TIRES	225/70RX19.5G BSW A/S
Warranty		
	OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	8/6.4,325,600	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Stand Alone	$_____
Interior				
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	N/A	$_____

Delivery outside CONUS

Solicitation Number: M8-091004-N

4X2 STRIPPED CHASSIS, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
77.1	8 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	F2B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75R17E AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
77C.1	15 / 6			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	X2B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75R17E AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
78.1	43 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	F3B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/70Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRG	DEALER DELIVERY GUAM	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Package	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Package	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Package	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
78C.1	23 / 11			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	X3B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/70Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	N/A	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
78E.1	15 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	W2B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	N/A	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	Standard	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79A.1	18 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	Comply
SKID PLATE	not available

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS

Towing

FRONT TOW HOOKS	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Cab to Axle

CA1	CAB TO AXLE LENGTH 108 IN	_____	N/A	$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	N/A	$_____
CA56	CAB TO AXLE LENGTH 57 IN	_____	N/A	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____

Engines

YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____

Transmission

T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	$_____

Drive Axle

ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
NAX	NARROW TRACK, REAR AXLE	_____	N/A	$_____

Electrical

A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____

Exterior

SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____

Electronics Audio Visual

SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____

Interior

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Standard	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79B.1	24 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	not available

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Package	$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	Standard	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79C.1	25 / 6			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	X3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Cab to Axle				
CA56	CAB TO AXLE LENGTH 57 IN	_____	N/A	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Stand Alone	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
NAX	NARROW TRACK, REAR AXLE	_____	N/A	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Standard	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79D.1	8 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	W4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79E.1	21 / 6			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	W3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Standard	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	N/A	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	N/A	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T5	5 SPEED MANUAL TRANSMISSION	_____	N/A	$_____
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Standard	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
RKS	REMOTE KEYLESS START	_____	N/A	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Standard	$_____
Seats				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79F.1	34 / 5			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	not available

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Stand Alone	$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 1, 2009

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79G.1	25 / 7			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	W5H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
SRS2	SIDE SUPPLEMENTAL RESTRAINT SYSTEM ROW 2	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	Standard	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79H.1	11 / 5			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	X4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
BAT2	Dual Batteries	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	N/A	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
ALW	ALUMINUM WHEELS	_____	N/A	$_____
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
79J.1	72 / 6			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	X5H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	,,	$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Standard	$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	$_____
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	N/A	$_____
CNSG	CONSIGNEE DELIVERY GUAM (NO DEALER PREP)	_____	N/A	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
CNSP	CONSIGNEE DELIVERY PUERTO RICO (NO DEALER PREP)	_____	N/A	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRG	DEALER DELIVERY GUAM	_____	N/A	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
DDRP	DEALER DELIVERY PUERTO RICO	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
82.1	548 / 379			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	F2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
82C.1	31 / 33			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	X2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
83.1	51 / 46			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	613A
MFG. MODEL CODE	F3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Cab to Axle				
CA6	CAB TO AXLE LENGTH 60 IN	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Stand Alone	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Stand Alone	$_____
MEW	WINCH, ELECTRIC	_____	Stand Alone	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Package	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Package	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Stand Alone	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Package	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
83C.1	29 / 28			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	X3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXT CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
84.1	54 / 49			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Engines			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Towing

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Stand Alone	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Stand Alone	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
84B.1	6 / 5			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

WR	INCREASE GVWR	_____	Stand Alone	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Tires and Wheels

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____

Towing

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
84C.1	11 / 9			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	X3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Engines			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Towing

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B08	BODY LENGTH, 8 FT	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Standard	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
84D.1	4 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Tires and Wheels

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____

Towing

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
84H.1	4 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	X4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

EXTRA WIDE MIRRORS	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Body/Chassis

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Tires and Wheels

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____

Towing

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
84J.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	X5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1YR / 12000 MILES

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
87.1	153 / 130			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	F2B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Fuel

FUEL CAPACITY MIN GALLONS	35

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AT

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

	BACK-UP ALARM	comply
	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Standard	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____

Delivery

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
87C.1	126 / 93			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	X2B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Fuel

FUEL CAPACITY MIN GALLONS	35

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AT

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply
BACK-UP ALARM	comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	Comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Standard	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
88.1	119 / 34			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	F3B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Fuel

FUEL CAPACITY MIN GALLONS	35

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/70Rx17E/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

BACK-UP ALARM	comply
OFF ROAD BODY MOUNTING	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Standard	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
88C.1	90 / 67			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	X3B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/70Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

BACK-UP ALARM	comply
OFF ROAD BODY MOUNTING	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Stand Alone	$_____
UPR	PIPE RACK	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
89A.1	65 / 49			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	Comply

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	COMPLY
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply
OFF ROAD BODY MOUNTING	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
AL	ALUMINUM UTILITY BODY	_____	Stand Alone	$_____
B08	BODY LENGTH, 8 FT	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Package	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

USS	SUPERSTRUCTURE	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
89B.1	4 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	not available

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
89C.1	83 / 43			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	X3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B08	BODY LENGTH, 8 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

USS	SUPERSTRUCTURE	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Package	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
89D.1	4 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	not available
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
89H.1	14 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	X4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
89J.1	9 / 6			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	X5H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

	OFF ROAD BODY MOUNTING	COMPLY
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / UNLIMITED

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
92.1	38 / 20			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E3F
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
WHEEL BASE min. in.	138
Cab to Axle	
CAB TO AXLE, INCHES	80
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	comply
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	FRONT ONLY
POWER STEERING	comply
UPHOLSTERY	vinyl

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

RECLINING BUCKET/CAPTAINS CHAIRS	comply
SEATING CAPACITY min.	2

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT245/75Rx16E BSW A/S-SRW

Vendor Furnished Body Items

BODY LENGTH, 10 FT	comply
BACK-UP ALARM	comply
INTERIOR PARTITION, SOLID TYPE	comply
ROLL-UP REAR DOOR	comply
WOOD FLOORING	comply
FIBERGLASS DELIVERY VAN BODY	comply

Warranty

OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Body/Chassis

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

APP	AMBULANCE BUILDER PREP PKG	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Package	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
BRT	INTERIOR ROPE TIES	_____	Package	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	$_____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Stand Alone	$_____
DPW	PARTITION DOOR WINDOW	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1,

DSH	HINGED SIDE DOOR	_____	Package	$_____
DSR	ROLL UP SIDE DOOR	_____	Package	$_____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Package	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
FLFL	FLAT CARGO FLOOR	_____	Stand Alone	$_____
ILF	INTERIOR LINING	_____	Package	$_____
ILH	PARTIAL INTERIOR LINING	_____	Package	$_____
IR4	INSULATION, CARGO BODY	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RCA	CARGO RAILS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
SOC	STORAGE OVER CAB	_____	Stand Alone	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 FLIGHTLINE VAN, AIR TRANSPORTABLE, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 D.
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
92F.1	110 / 22			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E3F
PAYLOAD lbs.	2500
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
WHEEL BASE min. in.	138
Cab to Axle	
CAB TO AXLE, INCHES	80
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	comply
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2

Solicitation Number: M8-091004-N

4X2 FLIGHTLINE VAN, AIR TRANSPORTABLE, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 D.
JULY 1, 2009

WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	FRONT ONLY
POWER STEERING	comply
UPHOLSTERY	vinyl
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
RECLINING BUCKET/CAPTAINS CHAIRS	comply
SEATING CAPACITY min.	2
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT245/75Rx16E BSW A/S-SRW
Vendor Furnished Body Items	
BODY LENGTH, 10 FT	COMPLY
SMOOTH STEEL FLOOR	COMPLY
BACK-UP ALARM	comply
CARGO COMPARTMENT HEATER	COMPLY
CARGO COMPARTMENT WINDOWS	COMPLY
DOME CARGO LAMP	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	1000
FLIGHTLINE VAN CONVERSION	COMPLY
REAR DOOR, SIDE HINGED	COMPLY
SLIDING SIDE DOOR	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited

Solicitation Number: M8-091004-N

4X2 FLIGHTLINE VAN, AIR TRANSPORTABLE, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 D.
JULY 1, 2009

OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
APP	AMBULANCE BUILDER PREP PKG	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	$_____
DVC	ROLL-UP REAR DOOR	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 FLIGHTLINE VAN, AIR TRANSPORTABLE, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 D.
JULY 1, 2009

DVG	DRIVER'S FAN	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
MSC	INCREASED ELECTRICAL PACKAGE	_____	Package	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
SRP	RUSTPROOFING per FED-STD 297E	_____	Package	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
94.1	49 / 45			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E3F
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	11500
WHEEL BASE min. in.	138
Cab to Axle	
CAB TO AXLE, INCHES	80
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	comply
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
RECLINING BUCKET/CAPTAINS CHAIRS	comply
SEATING CAPACITY min.	2
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT225/75RX/16E BSW A/S-DRW
Vendor Furnished Body Items	
BODY LENGTH, 12 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	_____
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
APP	AMBULANCE BUILDER PREP PKG	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Package	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
B10	BODY LENGTH, 10 FT	_____	Package	$_____
B14	BODY LENGTH, 14 FT	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	$_____
BDK	DOCK BUMPER	_____	Package	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

BRT	INTERIOR ROPE TIES	_____	Package	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
CRT	CARGO RESTRAINING TRACK	_____	Package	$_____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Package	$_____
DPW	PARTITION DOOR WINDOW	_____	Package	$_____
DSH	HINGED SIDE DOOR	_____	Package	$_____
DSR	ROLL UP SIDE DOOR	_____	Package	$_____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Package	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
ILF	INTERIOR LINING	_____	Package	$_____
ILH	PARTIAL INTERIOR LINING	_____	Package	$_____
IR4	INSULATION, CARGO BODY	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RCA	CARGO RAILS	_____	Package	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
SOC	STORAGE OVER CAB	_____	Stand Alone	$_____
SSD	SIDE DOOR STEPS	_____	Package	$_____
TLR	LOADING RAMPS	_____	Package	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
94B.1	11 / 9			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: E450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E4F
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14050
WHEEL BASE min. in.	158
Cab to Axle	
CAB TO AXLE, INCHES	100
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	55
Exterior	
EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
RECLINING BUCKET/CAPTAINS CHAIRS	comply
SEATING CAPACITY min.	2
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT225/75RX16E BSW A/S - DRW
Vendor Furnished Body Items	
BODY LENGTH, 14 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	1300
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

Body/Chassis				
APP	AMBULANCE BUILDER PREP PKG	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Standard	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
B12	BODY LENGTH, 12 FT	_____	N/A	$_____
B16	BODY LENGTH, 16 FT	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	$_____
BDK	DOCK BUMPER	_____	Package	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
BRT	INTERIOR ROPE TIES	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
CRT	CARGO RESTRAINING TRACK	_____	Package	$_____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Package	$_____
DPW	PARTITION DOOR WINDOW	_____	Package	$_____
DSH	HINGED SIDE DOOR	_____	Package	$_____
DSR	ROLL UP SIDE DOOR	_____	Package	$_____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Package	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
ILF	INTERIOR LINING	_____	Package	$_____
ILH	PARTIAL INTERIOR LINING	_____	Package	$_____
IR4	INSULATION, CARGO BODY	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RCA	CARGO RAILS	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
SOC	STORAGE OVER CAB	_____	Stand Alone	$_____
SSD	SIDE DOOR STEPS	_____	Package	$_____
TLR	LOADING RAMPS	_____	Package	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
94H.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: E450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	782A
MFG. MODEL CODE	E45
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14050
WHEEL BASE min. in.	158
Cab to Axle	
CAB TO AXLE, INCHES	100
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
Alternative Fuel Engines	
HYBRID ELECTRIC VEHICLE	comply
Transmission	
AUTOMATIC TRANSMISSION	5 SPEED W/ OD
Electrical	
ALTERNATOR, MIN. (Amps)	155
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	55
Exterior	
EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	2

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	CLOTH
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
RECLINING BUCKET/CAPTAINS CHAIRS	COMPLY
SEATING CAPACITY min.	2
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT225/75R16
Vendor Furnished Body Items	
BODY LENGTH, 14 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	1300
Warranty	
BATTERY PACK WARRANTY	5/60000
OEM CORROSION WARRANTY	5/UNLIMITED
OEM POWERTRAIN WARRANTY	5/60000
OEM COMPREHENSIVE WARRANTY	3/36000

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

	CONTRACTOR COMPREHENSIVE WARRANTY		1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	N/A	$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	N/A	$_____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	N/A	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
AWD	OEM ALL WHEEL DRIVE	_____	N/A	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	N/A	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Doors and Windows				
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
CU	CLOTH UPHOLSTERY	_____	N/A	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	N/A	$_____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	N/A	$_____
Tires and Wheels				
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
AWDC	CHASSIS MFG'S APPROVED 4X4 CONVERSION-DEALERS ONLY	_____	Stand Alone	$_____
B12	BODY LENGTH, 12 FT	_____	Stand Alone	$_____
B16	BODY LENGTH, 16 FT	_____	Stand Alone	$_____
B18	BODY LENGTH, 18 FT	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	$_____
BDK	DOCK BUMPER	_____	Stand Alone	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
BRT	INTERIOR ROPE TIES	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	$_____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Stand Alone	$_____
DPW	PARTITION DOOR WINDOW	_____	Stand Alone	$_____
DSH	HINGED SIDE DOOR	_____	Stand Alone	$_____
DSR	ROLL UP SIDE DOOR	_____	Stand Alone	$_____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Stand Alone	$_____
ILF	INTERIOR LINING	_____	Stand Alone	$_____
ILH	PARTIAL INTERIOR LINING	_____	Stand Alone	$_____
IR4	INSULATION, CARGO BODY	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
K39	VELVAC 2020 DELUXE MIRRORS	_____	Stand Alone	$_____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	$_____
RCA	CARGO RAILS	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
SOC	STORAGE OVER CAB	_____	Stand Alone	$_____
SSD	SIDE DOOR STEPS	_____	Stand Alone	$_____
TLR	LOADING RAMPS	_____	Stand Alone	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR, CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
94N.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CUTAWAY
MFG. MODEL CODE	E3F
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	11500
WHEEL BASE min. in.	138
Cab to Axle	
CAB TO AXLE, INCHES	80
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	COMPLY
Alternative Fuel Engines	
DEDICATED COMPRESSED NATURAL GAS	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR, CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
RECLINING BUCKET/CAPTAINS CHAIRS	COMPLY
SEATING CAPACITY min.	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT225/75RX/16E BSW A/S-DRW
Vendor Furnished Body Items	
BODY LENGTH, 12 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 Year/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 Year/60,000 Miles

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR, CNG IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

OEM COMPREHENSIVE WARRANTY	COMPLY	
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY	

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
95.1	4 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	9'
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	_____
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

OEM COMPREHENSIVE WARRANTY	comply	
CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / 12000 MILES	

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
B10	BODY LENGTH, 10 FT	_____	Standard	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDK	DOCK BUMPER	_____	Stand Alone	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
BRT	INTERIOR ROPE TIES	_____	Package	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
CRT	CARGO RESTRAINING TRACK	_____	Package	$_____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	$_____
DSH	HINGED SIDE DOOR	_____	Stand Alone	$_____
DSR	ROLL UP SIDE DOOR	_____	Package	$_____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
ILF	INTERIOR LINING	_____	Package	$_____
ILH	PARTIAL INTERIOR LINING	_____	Package	$_____
IR4	INSULATION, CARGO BODY	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RCA	CARGO RAILS	_____	Package	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
SOC	STORAGE OVER CAB	_____	Stand Alone	$_____
SSD	SIDE DOOR STEPS	_____	Package	$_____
TLR	LOADING RAMPS	_____	Package	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
95B.1	2 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	9'
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	1300
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

OEM COMPREHENSIVE WARRANTY	comply	
CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / 12000 MILES	

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Standard	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
B10	BODY LENGTH, 10 FT	_____	Standard	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
B14	BODY LENGTH, 14 FT	_____	Package	$_____
B16	BODY LENGTH, 16 FT	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDK	DOCK BUMPER	_____	Package	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
BRT	INTERIOR ROPE TIES	_____	Package	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
CRT	CARGO RESTRAINING TRACK	_____	Package	$_____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	$_____
DSH	HINGED SIDE DOOR	_____	Package	$_____
DSR	ROLL UP SIDE DOOR	_____	Package	$_____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
ILF	INTERIOR LINING	_____	Package	$_____
ILH	PARTIAL INTERIOR LINING	_____	Package	$_____
IR4	INSULATION, CARGO BODY	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	$_____
RCA	CARGO RAILS	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

SOC	STORAGE OVER CAB	_____	Stand Alone	$_____
SSD	SIDE DOOR STEPS	_____	Package	$_____
TLR	LOADING RAMPS	_____	Package	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
95C.1	3 / 1	_____	_____	_____

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	9'
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / 12000 MILES

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
B10	BODY LENGTH, 10 FT	_____	Standard	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
B14	BODY LENGTH, 14 FT	_____	Package	$_____
B16	BODY LENGTH, 16 FT	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDK	DOCK BUMPER	_____	Package	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
BRT	INTERIOR ROPE TIES	_____	Package	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
CRT	CARGO RESTRAINING TRACK	_____	Package	$_____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	$_____
DSH	HINGED SIDE DOOR	_____	Package	$_____
DSR	ROLL UP SIDE DOOR	_____	Package	$_____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Stand Alone	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Standard	$_____
DVE1	HEIGHT INTERIOR, 84 IN	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
ILF	INTERIOR LINING	_____	Package	$_____
ILH	PARTIAL INTERIOR LINING	_____	Package	$_____
IR4	INSULATION, CARGO BODY	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RCA	CARGO RAILS	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
SOC	STORAGE OVER CAB	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

SSD	SIDE DOOR STEPS	_____	Package	$_____
TLR	LOADING RAMPS	_____	Package	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
122.1	147 / 47	_____	_____	_____

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	F2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Engine Accessories

EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	$_____

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____

Drive Axle

ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____

Electrical

A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____

Exterior

RM	EXTRA WIDE MIRRORS	_____	Package	$_____

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____

Electronics Audio Visual

SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____

Interior

AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Floor

CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____

Seats

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Towing

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Stand Alone	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Stand Alone	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
122C.1	7 / 5			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	X2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9400
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	8'
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
122E.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	W2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
123.1	25 / 18			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	613A
MFG. MODEL CODE	F3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	8'
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
123C.1	5 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	X3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
123E.1	3 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	613A
MFG. MODEL CODE	W3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124.1	306 / 149			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124B.1	14 / 13	_____	_____	_____

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
WR2	INCREASE GCWR	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
B14	BODY LENGTH, 14 FT	_____	Package	$_____
B16	BODY LENGTH, 16 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124C.1	3 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI: PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	X3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Standard	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124D.1	9 / 8			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
WR2	INCREASE GCWR	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
B14	BODY LENGTH, 14 FT	_____	Package	$_____
B16	BODY LENGTH, 16 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124E.1	6 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	W3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Standard	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

Engine Accessories

EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	$_____

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____

Drive Axle

ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____

Electrical

A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____

Electronics Audio Visual

SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____

Interior

AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Floor

CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____

Seats

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Towing

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
B09	BODY LENGTH, 9 FT	_____	Standard	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124F.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	W4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Standard	$_____
WR2	INCREASE GCWR	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124G.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	W5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124H.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	X4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT JULY 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / UNLIMITED MILES

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
124J.1	5 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	X5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT JULY 1, 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / UNLIMITED MILES

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
128.1	9 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	F3B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Fuel

FUEL CAPACITY MIN GALLONS	35

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/70Rx17E/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

BODY LENGTH, 8 FT	comply
BACK-UP ALARM	comply

Warranty

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Standard	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
128C.1	4 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	610A
MFG. MODEL CODE	X3B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	35

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/70Rx17E/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

BODY LENGTH, 8 FT	comply
BACK-UP ALARM	comply

Warranty

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
128E.1	4 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	W2B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Fuel

FUEL CAPACITY MIN GALLONS	35

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AT

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

BODY LENGTH, 8 FT	comply
BACK-UP ALARM	comply

Warranty

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Standard	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Standard	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Stand Alone	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Stand Alone	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Stand Alone	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129.1	56 / 47			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	Comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

OEM COMPREHENSIVE WARRANTY	comply	
CONTRACTOR COMPREHENSIVE WARRANTY	comply	

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Seats

BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Towing

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____

Vendor Furnished Body Items

IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129A.1	8 / 5			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	not available
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
B14	BODY LENGTH, 14 FT	_____	Package	$_____
B16	BODY LENGTH, 16 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129B.1	12 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	not available
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
B14	BODY LENGTH, 14 FT	_____	Package	$_____
B16	BODY LENGTH, 16 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129C.1	13 / 10	_____	_____	_____

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI: PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	X3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

BODY LENGTH, 9 FT	comply
BACK-UP ALARM	comply

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATEI 1, 2009

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129D.1	13 / 11			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	W3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

MF	FLOOR MATS	_____	Package	$_____
Seats				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
B09	BODY LENGTH, 9 FT	_____	Standard	$_____
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Package	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129E.1	3 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	W4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	9
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129F.1	8 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	W5H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	comply
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

	OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Stand Alone	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129H.1	15 / 1	_____	_____	_____

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	X4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / UNLIMITED MILES

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
129J.1	5 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	X5H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1 YR / UNLIMITED MILES

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Vendor Furnished Body Items				
B12	BODY LENGTH, 12 FT	_____	Package	$_____
BBS	BULKHEAD, STAKE BODY	_____	Package	$_____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	$_____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Package	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, EXTENDED CAB, MIN. 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DAT
JULY 1, 2009

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
131.1	57 / 46			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	STRIPPED CHASSIS
MFG. MODEL CODE	E3K
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9000
WHEEL BASE min. in.	138
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	comply
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	comply
KEYED DOOR LOCKS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
UPHOLSTERY	comply
POWER STEERING	comply
Floor	
FLOOR COVERING	comply
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	comply
Safety	
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT245/75RX16E BSW A/S - SRW
Vendor Furnished Body Items	
CARGO BODY LENGTH 10 FT	comply
STEP TYPE REAR BUMPER	comply
BACK-UP ALARM	comply
INTERIOR PARTITION, SOLID TYPE	comply
Warranty	
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Stand Alone	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Interior				
CUV	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
DAV	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
WLP	WHEELS, PAINTED CAB COLOR	_____	Stand Alone	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Stand Alone	$_____
DPW	PARTITION DOOR WINDOW	_____	Stand Alone	$_____
DV2	CARGO BODY LENGTH 12 FT	_____	Stand Alone	$_____
DV4	CARGO BODY LENGTH 14 FT	_____	Stand Alone	$_____
DVC	ROLL-UP REAR DOOR	_____	Stand Alone	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	$_____
DVF	WOOD FLOORING	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Standard	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
134.1	143 / 78			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	STRIPPED CHASSIS
MFG. MODEL CODE	E3K
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	11500
WHEEL BASE min. in.	138
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	comply
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	comply
KEYED DOOR LOCKS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
UPHOLSTERY	comply
POWER STEERING	comply
Floor	
FLOOR COVERING	comply
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	comply
Safety	
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT225/75RX/16 BSW A/S-DRW
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BACK-UP ALARM	comply
INTERIOR PARTITION, SOLID TYPE	comply
CARGO BODY LENGTH 12 FT	comply
Warranty	
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Fuel				

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Stand Alone	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Interior				
CUV	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
DAV	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
WLP	WHEELS, PAINTED CAB COLOR	_____	Stand Alone	$_____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	$_____
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Package	$_____
DPW	PARTITION DOOR WINDOW	_____	Package	$_____
DV4	CARGO BODY LENGTH 14 FT	_____	Stand Alone	$_____
DV6	CARGO BODY LENGTH 16 FT	_____	Stand Alone	$_____
DVC	ROLL-UP REAR DOOR	_____	Stand Alone	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Standard	$_____
DVE1	HEIGHT INTERIOR, 84 IN	_____	Stand Alone	$_____
DVF	WOOD FLOORING	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Standard	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
134B.1	45 / 31			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: E450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	STRIPPED CHASSIS
MFG. MODEL CODE	E4K
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14050
WHEEL BASE min. in.	158
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	comply
Transmission	
AUTOMATIC TRANSMISSION	COMPLY
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	55
Exterior	
REAR VIEW MIRRORS	COMPY
Doors and Windows	
DOORS	2
KEYED DOOR LOCKS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	COMPLY
UPHOLSTERY	COMPLY
POWER STEERING	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	2
Safety	
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT225/75RX16E BSW A/S - DRW
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 14 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
Warranty	
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Fuel				

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	Standard	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Interior				
CUV	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
DAV	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
WLP	WHEELS, PAINTED CAB COLOR	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Package	$_____
DPW	PARTITION DOOR WINDOW	_____	Package	$_____
DV6	CARGO BODY LENGTH 16 FT	_____	Package	$_____
DV8	CARGO BODY LENGTH 18 FT	_____	Package	$_____
DVC	ROLL-UP REAR DOOR	_____	Package	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Standard	$_____
DVE1	HEIGHT INTERIOR, 84 IN	_____	Package	$_____
DVF	WOOD FLOORING	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 16,0001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
134F.1	3 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
WHEEL BASE min. in.	188.8
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	Comply
Transmission	
AUTOMATIC TRANSMISSION	Comply
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
REAR VIEW MIRRORS	Comply
Doors and Windows	
DOORS	Comply
KEYED DOOR LOCKS	Comply
WIPERS-WINDSHIELD-INTERMITTENT	Comply
DOORS	Comply

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 16,0001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2009

Lights and Lighting	
DAYTIME RUNNING LIGHTS	Comply
Interior	
AIR CONDITIONING	Comply
UPHOLSTERY	Comply
POWER STEERING	Comply
Floor	
FLOOR COVERING	Comply
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	Comply
Seats	
SEATING CAPACITY min.	Comply
Safety	
RESTRAINT SYSTEM, ALL SEATED POSITIONS	Comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	Comply
POWER ANTILOCK BRAKES, FRONT AND REAR	Comply
Suspension	
SUSPENSION/SHOCKS	Comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Comply
TIRES	225/70RX19.5G BSW A/S
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 16 FT	Comply
BACK-UP ALARM	Comply
INTERIOR PARTITION, SOLID TYPE	Comply
Warranty	
OEM POWERTRAIN WARRANTY	5 year / 60,000 miles
OEM COMPREHENSIVE WARRANTY	Comply
CONTRACTOR COMPREHENSIVE WARRANTY	1 year / 12,000 miles

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
134H.1	1 / 0			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: E450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	790A
MFG. MODEL CODE	E49
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	14050
WHEEL BASE min. in.	158
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	Comply
Alternative Fuel Engines	
HYBRID ELECTRIC VEHICLE	comply
Transmission	
AUTOMATIC TRANSMISSION	5 SPEED W/ OD
Electrical	
ALTERNATOR, MIN. (Amps)	155
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	55
Exterior	
REAR VIEW MIRRORS	COMPLY
Doors and Windows	
DOORS	2
KEYED DOOR LOCKS	COMPLY

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
UPHOLSTERY	COMPLY
POWER STEERING	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	2
Safety	
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	N/A
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT225/75R16
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 14 FT	COMPLY
BACK-UP ALARM	COMPLY
INTERIOR PARTITION, SOLID TYPE	COMPLY
Warranty	
BATTERY PACK WARRANTY	5/60000
OEM POWERTRAIN WARRANTY	5/60000
OEM COMPREHENSIVE WARRANTY	3/36000
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Stand Alone	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20

PT	POWER TAKE OFF OPENING	_____	N/A	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Fuel				
AF1	CHASSIS MANUFACTURER'S MAXIMUM AVAILABLE FUEL TANK(S)	_____	N/A	$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	$_____
Interior				
CUV	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
DAV	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
Tires and Wheels				
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
WLP	WHEELS, PAINTED CAB COLOR	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BR	TRANSLUCENT ROOF	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
DPA	INTERIOR PARTITION, SCREEN TYPE	_____	Stand Alone	$_____
DPW	PARTITION DOOR WINDOW	_____	Stand Alone	$_____
DV6	CARGO BODY LENGTH 16 FT	_____	Stand Alone	$_____
DVC	ROLL-UP REAR DOOR	_____	Stand Alone	$_____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Stand Alone	$_____
DVE	HEIGHT INTERIOR, 78 IN	_____	Stand Alone	$_____
DVE1	HEIGHT INTERIOR, 84 IN	_____	Stand Alone	$_____
DVF	WOOD FLOORING	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
HTGR	RAIL TYPE LIFT GATE	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	$_____
Delivery				

Solicitation Number: M8-091004-N

4X2 MULTISTOP VAN, MIN 14,001 LBS GVWR, HEV IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 20

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
141.1	7 / 4			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	W2A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
142.1	42 / 38			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	613A
MFG. MODEL CODE	W3A - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	10000
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/70Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Body/Chassis				
WR	INCREASE GVWR	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Package	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
144.1	39 / 10			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	W3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
TIRES	LT245/75Rx17E/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	comply
BODY LENGTH, 8 FT	9 FT
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Engines			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Stand Alone	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
AL	ALUMINUM UTILITY BODY	_____	Stand Alone	$_____
B09	BODY LENGTH, 9 FT	_____	Standard	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Stand Alone	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Stand Alone	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Stand Alone	$_____
UPR	PIPE RACK	_____	Stand Alone	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Stand Alone	$_____
UTR	TELESCOPING ROOF	_____	Stand Alone	$_____
UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
144A.1	1 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	W4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

WR	INCREASE GVWR	_____	Standard	$_____
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

UVB	VISE BRACKET/PIPE REST	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Package	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Package	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
144B.1	1 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	W5G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70Rx19.5G/AS
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Tires and Wheels

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____

Towing

CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
FTH	FRONT TOW HOOKS	_____	Standard	$_____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Package	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
147.1	258 / 67			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F250

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	600A
MFG. MODEL CODE	W2B - 66D
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9600
Cab to Axle	
CAB TO AXLE, INCHES	56
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	3.73 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	650

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	Comply
HIGH PROFILE MAINTENANCE BODY	Comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

	BACK-UP ALARM	comply
	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR	INCREASE GVWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Stand Alone	$_____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Standard	$_____
SZ	SNOW PLOW PREP PACKAGE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Standard	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Stand Alone	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
149.1	41 / 31			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	W3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.10 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT245/75Rx17E/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	Comply
BODY LENGTH, 8 FT	9 FT
HIGH PROFILE MAINTENANCE BODY	Comply
BACK-UP ALARM	comply

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Standard	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
MF	FLOOR MATS	_____	Package	$_____
Seats				
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
LHFM	Front Manual Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Standard	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
149A.1	26 / 15			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	W4H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	comply
HIGH PROFILE MAINTENANCE BODY	comply
BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

	OFF ROAD BODY MOUNTING	COMPLY
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
149B.1	10 / 8			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	W5H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5 speed
TRANSFER CASE	2 speed
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	rear
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

Fuel

FUEL CAPACITY MIN GALLONS	40

Exterior

EXTRA WIDE MIRRORS	comply
SKID PLATE	comply

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	comply

Interior

AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply

Floor

FLOOR COVERING	COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply

Suspension

SUSPENSION/SHOCKS	comply

Tires and Wheels

LOAD RANGE	G
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70Rx19.5G/AS

Towing

FRONT TOW HOOKS	comply

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

	OFF ROAD BODY MOUNTING	comply
Warranty		
	OEM CORROSION WARRANTY	5 yr/Unlimited Miles
	OEM POWERTRAIN WARRANTY	5 yr / 60,000 mile
	OEM COMPREHENSIVE WARRANTY	comply
	CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis				
WR2	INCREASE GCWR	_____	Package	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Stand Alone	$_____
Drive Axle				
ATC	AUTOMATIC TRACTION CONTROL	_____	Stand Alone	$_____
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Standard	$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Stand Alone	$_____
Electronics Audio Visual				
SYNC	VOICE ACTIVATED COMMUNICATION SYSTEM	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Package	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Stand Alone	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Package	$_____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Packaged Options				
BTPP	BRUSH TRUCK PREP PACKAGE	_____	Package	$_____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	$_____
DBTP	STORAGE/TOWING BODY	_____	Package	$_____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Package	$_____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	$_____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	$_____
AL	ALUMINUM UTILITY BODY	_____	Package	$_____
B11	BODY LENGTH, 11 FT	_____	Package	$_____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUI 2009

UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	$_____
UPR	PIPE RACK	_____	Package	$_____
URH	ROPE HOOKS	_____	Stand Alone	$_____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	$_____
USS	SUPERSTRUCTURE	_____	Package	$_____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	$_____
UTR	TELESCOPING ROOF	_____	Package	$_____
UVB	VISE BRACKET/PIPE REST	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Package	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
154.1	10 / 7			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	1300
Cab to Axle	
CAB TO AXLE, INCHES	60
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	360
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6-speed
Drive Axle	
PRIMARY DRIVE AXLE	3.73
DIFFERENTIAL TYPE/RATIO	comply
Electrical	
ALTERNATOR, MIN. (Amps)	155
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	comply
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	comply
TIRES	LT245/75RX17E BSW
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	8
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Package	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
BC	BODY COVER	_____	Stand Alone	$_____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
154B.1	1 / 1			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F4G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	84
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5-speed
Transmission Accessories	
POWER TAKE OFF OPENING	comply
Drive Axle	
PRIMARY DRIVE AXLE	comply
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	155
BATTERY, MIN. (CCA)	750
Fuel	

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	comply
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	comply
TIRES	225/70R/19.5G
Vendor Furnished Body Items	
BODY LENGTH, 10 FT	comply
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

WR	INCREASE GVWR	_____	Standard	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Package	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BC	BODY COVER	_____	Stand Alone	$_____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Standard	$_____

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
154H.1	4 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F3G
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	84
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	312
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5-speed
Transmission Accessories	
POWER TAKE OFF OPENING	comply
Drive Axle	
PRIMARY DRIVE AXLE	comply
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	
ALTERNATOR, MIN. (Amps)	155
BATTERY, MIN. (CCA)	750
Fuel	

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	comply
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	comply
TIRES	LT225/70Rx19.5G
Vendor Furnished Body Items	
BODY LENGTH, 10 FT	comply
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000 Miles
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

WR	INCREASE GVWR	_____	Stand Alone	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Package	$_____
CR	CRUISE CONTROL	_____	Package	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Package	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BC	BODY COVER	_____	Stand Alone	$_____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	$_____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Package	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
159.1	30 / 12			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	640A
MFG. MODEL CODE	F3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	13000
Cab to Axle	
CAB TO AXLE, INCHES	comply
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/6.2
HORSEPOWER (min)	300
TORQUE (lb ft)	365
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	6-speed
TRANSFER CASE	comply
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	comply
DIFFERENTIAL TYPE/RATIO	4.10LS
Electrical	
ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	comply
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	COMPLY
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT/245/75R/19.5G
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	8
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5 yr/unlimited

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Package	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Stand Alone	$_____
BC	BODY COVER	_____	Stand Alone	$_____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Package	$_____
Delivery outside CONUS				
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Stand Alone	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Package	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
159A.1	8 / 2			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F450

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	650A
MFG. MODEL CODE	F3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000
Cab to Axle	
CAB TO AXLE, INCHES	84
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5-speed
TRANSFER CASE	comply
Transmission Accessories	
POWER TAKE OFF OPENING	comply
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	comply
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	N/A
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	full size
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70R/19.5G A/S
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 10 FT	COMPLY
BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Warranty

OEM CORROSION WARRANTY	5 yr/unlimited
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		**Add Ship**	**OEM Data**	**Option Prices**
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Package	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Standard	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Package	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____

Vendor Furnished Body Items

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

IBOX	SUPPLY STORAGE COMPARTMENT	_____	Stand Alone	$_____
B09	BODY LENGTH, 9 FT	_____	Stand Alone	$_____
BC	BODY COVER	_____	Stand Alone	$_____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Stand Alone	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
159H.1	12 / 3			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: F550

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	660A
MFG. MODEL CODE	F3H
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	17950
Cab to Axle	
CAB TO AXLE, INCHES	84
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	10/6.8
HORSEPOWER (min)	362
TORQUE (lb ft)	457
COOLING SYSTEM	comply
Engine Accessories	
ENGINE HOUR METER	comply
Transmission	
AUTOMATIC TRANSMISSION	5-speed
TRANSFER CASE	comply
Transmission Accessories	
POWER TAKE OFF OPENING	comply
Rear Axle Differential	
SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	comply
Drive Axle	
PRIMARY DRIVE AXLE	comply
DIFFERENTIAL TYPE/RATIO	4.88 LS
Electrical	

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

ALTERNATOR, MIN. (Amps)	157
BATTERY, MIN. (CCA)	750
Fuel	
FUEL CAPACITY MIN GALLONS	40
Exterior	
EXTRA WIDE MIRRORS	comply
SKID PLATE	N/A
Doors and Windows	
DOORS	comply
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	comply
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	G
SPARE TIRE ASSEMBLY	FULL
FRONT WHEEL LOCKING HUBS	manual
TIRES	225/70R/19.5G A/S
Towing	
FRONT TOW HOOKS	comply
Vendor Furnished Body Items	
BODY LENGTH, 10 FT	comply
BACK-UP ALARM	comply

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Warranty

OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	$_____
Electrical				
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
SU4	OEM Upfitter Switches, 4	_____	Package	$_____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Package	$_____
Seats				
BF	SOLID BENCH FRONT SEAT	_____	Package	$_____
RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Tires and Wheels				
PLAB	TIRE PRESSURE MONITORING SYSTEM	_____	N/A	$_____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	$_____
Towing				
CTB	OEM TRAILER BRAKE CONTROLLER	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

Vendor Furnished Body Items

IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	$_____
B09	BODY LENGTH, 9 FT	_____	Package	$_____
BC	BODY COVER	_____	Stand Alone	$_____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	$_____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MBG	FRONT BRUSH GUARD	_____	Package	$_____
MEW	WINCH, ELECTRIC	_____	Package	$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
RBV	RUNNING BOARDS	_____	Stand Alone	$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____

Delivery outside CONUS

CNSA	CONSIGNEE DELIVERY ALASKA (NO DEALER PREP)	_____	Stand Alone	$_____
CNSH	CONSIGNEE DELIVERY HAWAII (NO DEALER PREP)	_____	Package	$_____
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	$_____

Solicitation Number: M8-091004-N

4X2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 I
JULY 1, 2009

Line Item NO.	Total Est Qty/Fleet	Unit Price	Total	MPG
162.1	139 / 94			

Net Invoice: _____ **Net MSRP:** _____

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVI
PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: ECONOLINE E350

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	CAB AND CHASSIS
MFG. MODEL CODE	E3E
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9500
WHEEL BASE min. in.	138
BODY SIZE, OVERALL LENGTH min./max. in.	217
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.4
HORSEPOWER (min)	255
TORQUE (lb ft)	350
COOLING SYSTEM	comply
Transmission	
AUTOMATIC TRANSMISSION	comply
Drive Axle	
PRIMARY DRIVE AXLE	comply
DIFFERENTIAL TYPE/RATIO	comply
Electrical	
ALTERNATOR, MIN. (Amps)	120
BATTERY, MIN. (CCA)	650
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	
REAR VIEW MIRRORS	comply
Doors and Windows	

Solicitation Number: M8-091004-N

4X2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 I
JULY 1, 2009

WIPERS-WINDSHIELD-INTERMITTENT	comply
REAR DOOR TYPE	comply
SIDE DOOR TYPE	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	comply
Interior	
AIR CONDITIONING	comply
POWER STEERING	comply
UPHOLSTERY	comply
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	2
FIRST ROW SEAT TYPE	comply
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	comply
RESTRAINT SYSTEM, ALL SEATED POSITIONS	comply
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	comply
Suspension	
SUSPENSION/SHOCKS	comply
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	comply
SPARE TIRE ASSEMBLY	comply
TIRES	LT245/75Rx16E
Towing	
REAR BUMPER	comply
Vendor Furnished Body Items	
BACK-UP ALARM	COMPLY
EQUIPMENT	_____
Warranty	
OEM CORROSION WARRANTY	5 yr/Unlimited Miles
OEM POWERTRAIN WARRANTY	5 yr/60,000
OEM COMPREHENSIVE WARRANTY	comply
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment	**Add Ship**	**OEM Data**	**Option Prices**
Body/Chassis			

Solicitation Number: M8-091004-N

4X2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 I
JULY 1, 2009

XL	EXTRA LONG BODY	_____	Standard	$_____
Engines				
YD	DIESEL ENGINE	_____	Package	$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	Stand Alone	$_____
Alternative Fuel Engines				
E85	ETHANOL FLEXIBLE FUEL	_____	Standard	$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	$_____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Package	$_____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	$_____
DALT	DUAL ALTERNATORS, OEM	_____	Package	$_____
Fuel				
AUFP	AUXILIARY FUEL PORT	_____	Stand Alone	$_____
Exterior				
RB	RUNNING BOARDS	_____	Stand Alone	$_____
Doors and Windows				
DTG	DARK TINTED GLASS	_____	Stand Alone	$_____
DUD	2 SIDE HINGED, DOORS	_____	Standard	$_____
RG	REAR WINDOW(S)	_____	Stand Alone	$_____
RKE	REMOTE KEYLESS ENTRY	_____	Package	$_____
WD	SIDE CARGO DOOR WINDOWS	_____	Stand Alone	$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	$_____
Electronics Audio Visual				
NAV	NAVIGATION SYSTEM	_____	Package	$_____
Interior				
AC2	AUX. REAR AIR CONDITIONING	_____	Package	$_____
AH	AUXILIARY HEATER	_____	Package	$_____
DA	DELETE AIR CONDITIONING	_____	Stand Alone	$_____
SK	METRIC ODOMETER	_____	Stand Alone	$_____
TS	TILT STEERING	_____	Standard	$_____
CR	CRUISE CONTROL	_____	Stand Alone	$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	$_____
Seats				

Solicitation Number: M8-091004-N

4X2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 I
JULY 1, 2009

RS	RECLINING BUCKET/CAPTAINS CHAIRS	_____	Stand Alone	$_____
Receiver Hitch				
RH3	OEM DRAW BAR RECEIVER CLASS III	_____	Package	$_____
Vendor Furnished Body Items				
AWDC	CHASSIS MFG'S APPROVED 4X4 CONVERSION-DEALERS ONLY	_____	Package	$_____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	$_____
DVG	DRIVER'S FAN	_____	Stand Alone	$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	$_____
MHP	PIPE & CONDUIT HOLDER	_____	Stand Alone	$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	$_____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	$_____